


OIL ANALYSIS REPORT

TEC 10K [12443892] ATLAS COPCO AIF097826 - ARCH COAL

Component

Compressor





Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

			Feb2021	Mar2022		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH05503912	UCH05195438	
Sample Date		Client Info		21 Mar 2022	19 Feb 2021	
Machine Age	hrs	Client Info		68131	64686	
Oil Age	hrs	Client Info		2950	0	
Oil Changed		Client Info		Not Changd	Not Changd	
Sample Status				NORMAL	NORMAL	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	4	<1	
Chromium	ppm	ASTM D5185m	>5	0	0	
Nickel	ppm	ASTM D5185m		0	0	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m		<1	0	
Aluminum	ppm	ASTM D5185m	>15	5	0	
Lead	ppm	ASTM D5185m	>65	0	<1	
Copper	ppm	ASTM D5185m	>65	<1	<1	
Tin	ppm	ASTM D5185m	>10	0	0	
Antimony	ppm	ASTM D5185m			0	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	
Barium	ppm	ASTM D5185m		0	0	
Molybdenum	ppm	ASTM D5185m		0	0	
Manganese	ppm	ASTM D5185m		0	<1	
Magnesium	ppm	ASTM D5185m		0	0	
Calcium	ppm	ASTM D5185m		0	3	
Phosphorus	ppm	ASTM D5185m		106	21	
Zinc	ppm	ASTM D5185m		36	24	
Sulfur						
Sullui	ppm	ASTM D5185m		309	45	
CONTAMINANTS		ASTM D5185m method	limit/base	current	45 history1	history2
CONTAMINANTS			limit/base			
CONTAMINANTS Silicon	6	method		current	history1	history2
CONTAMINANTS Silicon Sodium	ppm	method ASTM D5185m		current 4	history1	history2
CONTAMINANTS Silicon Sodium	ppm ppm ppm	method ASTM D5185m ASTM D5185m	>35	current 4 3	history1 2 0	history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA	ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m	>35 >20	current 4 3 0	history1 2 0 0	history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA	ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m method	>35 >20	current 4 3 0 current	history1 2 0 0 history1	history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL	ppm ppm ppm	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045	>35 >20 limit/base	current 4 3 0 current 0.17	history1 2 0 0 history1 0.106	history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal	ppm ppm ppm ATION mg KOH/g	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method	>35 >20 limit/base	current 4 3 0 current 0.17 current	history1 2 0 0 history1 0.106 history1	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal Yellow Metal	ppm ppm ppm ATION mg KOH/g	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual	>35 >20 limit/base limit/base NONE	current 4 3 0 current 0.17 current NONE	history1 2 0 0 history1 0.106 history1 NONE	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal Yellow Metal Precipitate	ppm ppm ppm ATION mg KOH/g	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual	>35 >20 limit/base limit/base NONE NONE	current 4 3 0 current 0.17 current NONE NONE	history1 2 0 0 history1 0.106 history1 NONE NONE	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal Yellow Metal Precipitate Silt	ppm ppm ppm ATION mg KOH/g	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual *Visual *Visual	>35 >20 limit/base limit/base NONE NONE NONE	current 4 3 0 current 0.17 current NONE NONE NONE	history1 2 0 0 history1 0.106 history1 NONE NONE	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal Yellow Metal Precipitate Silt Debris	ppm ppm ppm ATION mg KOH/g scalar scalar scalar scalar	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual *Visual *Visual *Visual	>35 >20 limit/base limit/base NONE NONE NONE NONE	current 4 3 0 current 0.17 current NONE NONE NONE NONE	history1 2 0 0 history1 0.106 history1 NONE NONE NONE NONE	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt	ppm ppm ppm ATION mg KOH/g scalar scalar scalar scalar	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual *Visual *Visual *Visual *Visual *Visual	>35 >20 limit/base NONE NONE NONE NONE NONE NONE NONE	current 4 3 0 current 0.17 current NONE NONE NONE NONE NONE NONE NONE	history1 2 0 0 history1 0.106 history1 NONE NONE NONE NONE NONE NONE	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN) VISUAL White Metal Yellow Metal Precipitate Silt Debris Sand/Dirt Appearance	ppm ppm ppm ATION mg KOH/g scalar scalar scalar scalar scalar scalar	method ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual *Visual	>35 >20 limit/base NONE NONE NONE NONE NONE NONE NONE NON	current 4 3 0 current 0.17 current NONE NONE NONE NONE NONE NONE NONE NON	history1 2 0 0 history1 0.106 history1 NONE NONE NONE NONE NONE NONE NONE	history2 history2 history2
CONTAMINANTS Silicon Sodium Potassium FLUID DEGRADA Acid Number (AN)	ppm ppm ppm scalar scalar scalar scalar scalar scalar scalar	method ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D8045 method *Visual	>35 >20 limit/base NONE NONE NONE NONE NONE NONE NONE NON	current 4 3 0 current 0.17 current NONE NONE NONE NONE NONE NONE NONE NON	history1 2 0 0 history1 0.106 history1 NONE NONE NONE NONE NONE NONE NONE NON	history2 history2 history2



OIL ANALYSIS REPORT







Laboratory Sample No. Lab Number

: UCH05503912 : 05503912 Unique Number : 9908149 Test Package : IND 2

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 28 Mar 2022 Diagnosed : 30 Mar 2022 Diagnostician : Doug Bogart

TOTAL EQUIPMENT COMPANY

200 SMILEY DR SAINT ALBANS, WV US 25177

Contact:

T:

F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)