




# OIL ANALYSIS REPORT

Sample Rating Trend

**NORMAL**



Machine Id  
**48192696 (S/N R-02563)**

Component  
**Hydraulic System**

Fluid  
**MOBIL DTE 24 (--- GAL)**

## DIAGNOSIS

### Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

The amount and size of particulates present in the system are acceptable.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.

## SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	<b>WC0731048</b>	---	---
Sample Date	Client Info	<b>26 Sep 2022</b>	---	---
Machine Age	hrs Client Info	<b>0</b>	---	---
Oil Age	hrs Client Info	<b>0</b>	---	---
Oil Changed	Client Info	<b>N/A</b>	---	---
Sample Status		<b>NORMAL</b>	---	---

## WEAR METALS

method	limit/base	current	history1	history2
Iron ppm	ASTM D5185m >20	<b>&lt;1</b>	---	---
Chromium ppm	ASTM D5185m >20	<b>0</b>	---	---
Nickel ppm	ASTM D5185m >20	<b>0</b>	---	---
Titanium ppm	ASTM D5185m	<b>0</b>	---	---
Silver ppm	ASTM D5185m	<b>0</b>	---	---
Aluminum ppm	ASTM D5185m >20	<b>0</b>	---	---
Lead ppm	ASTM D5185m >20	<b>&lt;1</b>	---	---
Copper ppm	ASTM D5185m >20	<b>2</b>	---	---
Tin ppm	ASTM D5185m >20	<b>&lt;1</b>	---	---
Vanadium ppm	ASTM D5185m	<b>0</b>	---	---
Cadmium ppm	ASTM D5185m	<b>0</b>	---	---

## ADDITIVES

method	limit/base	current	history1	history2
Boron ppm	ASTM D5185m	<b>&lt;1</b>	---	---
Barium ppm	ASTM D5185m	<b>2</b>	---	---
Molybdenum ppm	ASTM D5185m	<b>&lt;1</b>	---	---
Manganese ppm	ASTM D5185m	<b>0</b>	---	---
Magnesium ppm	ASTM D5185m	<b>12</b>	---	---
Calcium ppm	ASTM D5185m	<b>70</b>	---	---
Phosphorus ppm	ASTM D5185m	<b>323</b>	---	---
Zinc ppm	ASTM D5185m	<b>438</b>	---	---
Sulfur ppm	ASTM D5185m	<b>1077</b>	---	---

## CONTAMINANTS

method	limit/base	current	history1	history2
Silicon ppm	ASTM D5185m >15	<b>&lt;1</b>	---	---
Sodium ppm	ASTM D5185m	<b>0</b>	---	---
Potassium ppm	ASTM D5185m >20	<b>&lt;1</b>	---	---

## FLUID CLEANLINESS


method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647 >5000	<b>989</b>	---	---
Particles >6µm	ASTM D7647 >1300	<b>147</b>	---	---
Particles >14µm	ASTM D7647 >160	<b>14</b>	---	---
Particles >21µm	ASTM D7647 >40	<b>3</b>	---	---
Particles >38µm	ASTM D7647 >10	<b>0</b>	---	---
Particles >71µm	ASTM D7647 >3	<b>0</b>	---	---
Oil Cleanliness	ISO 4406 (c) >19/17/14	<b>17/14/11</b>	---	---

## FLUID DEGRADATION

method	limit/base	current	history1	history2
Acid Number (AN) mg KOH/g	ASTM D8045	<b>0.40</b>	---	---



# OIL ANALYSIS REPORT




VISUAL	method	limit/base	current	history1	history2	
White Metal	scalar	*Visual	NONE	NONE	---	---
Yellow Metal	scalar	*Visual	NONE	NONE	---	---
Precipitate	scalar	*Visual	NONE	NONE	---	---
Silt	scalar	*Visual	NONE	NONE	---	---
Debris	scalar	*Visual	NONE	NONE	---	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---	---
Appearance	scalar	*Visual	NORML	NORML	---	---
Odor	scalar	*Visual	NORML	NORML	---	---
Emulsified Water	scalar	*Visual	>0.05	NEG	---	---
Free Water	scalar	*Visual		NEG	---	---

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 40°C	cSt	ASTM D445	31.5	<b>31.4</b>	---	---







SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------

**Color**

	no image	no image
<b>Bottom</b>		no image



## GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : WC0731048 **Received** : 27 Sep 2022  
**Lab Number** : 05651442 **Diagnosed** : 28 Sep 2022  
**Unique Number** : 10150994 **Diagnostician** : Angela Borella  
**Test Package** : PLANT

**TE CONNECTIVITY**  
 719 PEGG RD  
 GREENSBORO, NC  
 US 27409  
 Contact: BILLIE WALLACE  
 billie.wallace@te.com

Certificate L2367  
 To discuss this sample report, contact Customer Service at 1-800-237-1369.  
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.  
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)