OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL

Area
[CONHER]
Machine Id
DCO FMC Base Line AMS OIL ISO-150
Component
New (Unused) Oil
Fluid
Power Transmision EP Gear Lube oil ISO-150 (--- GAL)

DIAGNOSIS

Recommendation
This is a baseline read-out on the submitted sample.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number		Client Info		**KL0011374**	---	---
Sample Date		Client Info		**18 Mar 2023**	---	---
Machine Age	hrs	Client Info		**0**	---	---
Oil Age	hrs	Client Info		**0**	---	---
Oil Changed		Client Info		**N/A**	---	---
Sample Status				**NORMAL**	---	---

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m		**0**	---	---
Chromium	ppm	ASTM D5185m		**0**	---	---
Nickel	ppm	ASTM D5185m		**0**	---	---
Titanium	ppm	ASTM D5185m		**0**	---	---
Silver	ppm	ASTM D5185m		**0**	---	---
Aluminum	ppm	ASTM D5185m		**0**	---	---
Lead	ppm	ASTM D5185m		**0**	---	---
Copper	ppm	ASTM D5185m		**0**	---	---
Tin	ppm	ASTM D5185m		**0**	---	---
Vanadium	ppm	ASTM D5185m		**0**	---	---
Cadmium	ppm	ASTM D5185m		**0**	---	---

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		**28**	---	---
Barium	ppm	ASTM D5185m		**0**	---	---
Molybdenum	ppm	ASTM D5185m		**0**	---	---
Manganese	ppm	ASTM D5185m		**0**	---	---
Magnesium	ppm	ASTM D5185m		**0**	---	---
Calcium	ppm	ASTM D5185m		**1**	---	---
Phosphorus	ppm	ASTM D5185m		**386**	---	---
Zinc	ppm	ASTM D5185m		**4**	---	---
Sulfur	ppm	ASTM D5185m		**6025**	---	---

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		**<1**	---	---
Sodium	ppm	ASTM D5185m		**0**	---	---
Potassium	ppm	ASTM D5185m	>20	**0**	---	---

FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		**768**	---	---
Particles >6µm		ASTM D7647	>1300	**209**	---	---
Particles >14µm		ASTM D7647	>160	**12**	---	---
Particles >21µm		ASTM D7647	>40	**2**	---	---
Particles >38µm		ASTM D7647	>10	**0**	---	---
Particles >71µm		ASTM D7647	>3	**0**	---	---
Oil Cleanliness		ISO 4406 (c)	>17/14	**15/11**	---	---

FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		**0.93**	---	---

OIL ANALYSIS REPORT

Viscosity @ 100°C



Particle Trend



Viscosity @ 100°C



Viscosity @ 40°C



Particle Trend



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	**NONE**	---	---
Yellow Metal	scalar	*Visual	NONE	**NONE**	---	---
Precipitate	scalar	*Visual	NONE	**NONE**	---	---
Silt	scalar	*Visual	NONE	**NONE**	---	---
Debris	scalar	*Visual	NONE	**NONE**	---	---
Sand/Dirt	scalar	*Visual	NONE	**NONE**	---	---
Appearance	scalar	*Visual	NORML	**NORML**	---	---
Odor	scalar	*Visual	NORML	**NORML**	---	---
Emulsified Water	scalar	*Visual		**NEG**	---	---
Free Water	scalar	*Visual		**NEG**	---	---

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445		**150**	---	---
Visc @ 100°C	cSt	ASTM D445		**19.34**	---	---
Viscosity Index (VI)	Scale	ASTM D2270		**147**	---	---

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color				*no image*	*no image*
Bottom				*no image*	*no image*

GRAPHS

Ferrous Alloys



Non-ferrous Metals

Viscosity @ 40°C



Particle Count



Acid Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : KL0011374 **Received** : 23 Mar 2023
Lab Number : 05800252 **Diagnosed** : 27 Mar 2023
Unique Number : 10389936 **Diagnostician** : Doug Bogart
Test Package : MOB 2 (Additional Tests: FT-IR, ICP-NewOil, KV100, PrtCount, VI)

To discuss this sample report, contact Customer Service at 1-800-237-1369.
** - Denotes test methods that are outside of the ISO 17025 scope of accreditation.*
Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

CONOR
JUAREZ 348
HERMOSILLO,
MX 83140
Contact: EDUARDO GARCIA
egarcia.comsa@gmail.com
T: (526)622-1581 x:81
F: x:

Report Id: CONHERKL [WUSCAR] 05800252 (Generated: 08/26/2023 19:15:35) Rev: 1

Submitted By: EDUARDO GARCIA