


# **OIL ANALYSIS REPORT**

# NFDM [171885] PT11PP03BB01

Component

**Bearing** Fluid

**MOBIL SHC 626 (--- QTS)** 





## Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the


## **Fluid Condition**

The condition of the oil is acceptable for the time in service.

้า พิษารัช18 Ap-รัช19 O-รรัช19 Mayใช220 O-รรัช220 Ap-รัช221 O-รรัช221 O-รรัช22 Ap-รัช223								
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2		
Sample Number		Client Info		WC0805895	WC0747492	WC0629293		
Sample Date		Client Info		20 Apr 2023	29 Oct 2022	21 Oct 2021		
Machine Age	mths	Client Info		0	0	0		
Oil Age	mths	Client Info		0	0	0		
Oil Changed		Client Info		N/A	N/A	N/A		
Sample Status				NORMAL	NORMAL	NORMAL		
WEAR METALS		method	limit/base	current	history1	history2		
Iron	ppm	ASTM D5185m	>200	<1	<1	<1		
Chromium	ppm	ASTM D5185m	>15	0	0	0		
Nickel	ppm	ASTM D5185m	>15	0	0	0		
Titanium	ppm	ASTM D5185m		0	0	0		
Silver	ppm	ASTM D5185m		0	0	0		
Aluminum	ppm	ASTM D5185m	>25	0	<1	<1		
Lead	ppm	ASTM D5185m	>100	0	0	<1		
Copper	ppm	ASTM D5185m	>200	1	<1	1		
Tin	ppm	ASTM D5185m	>25	0	<1	0		
Antimony	ppm	ASTM D5185m	>5			0		
Vanadium	ppm	ASTM D5185m		0	0	0		
Cadmium	ppm	ASTM D5185m		0	0	0		
ADDITIVES		method	limit/base	current	history1	history2		
Boron	ppm	ASTM D5185m		0	0	<1		
Barium	ppm	ASTM D5185m		0	0	0		
Molybdenum	ppm	ASTM D5185m		0	0	0		
Manganese	ppm	ASTM D5185m		<1	<1	0		
Magnesium	ppm	ASTM D5185m		1	0	0		
Calcium	ppm	ASTM D5185m		<1	0	0		
Phosphorus	ppm	ASTM D5185m		478	467	446		
Zinc	ppm	ASTM D5185m		<1	3	0		
Sulfur	ppm	ASTM D5185m		46	48	103		
CONTAMINANTS		method	limit/base	current	history1	history2		
Silicon	ppm	ASTM D5185m	>50	0	<1	0		
Sodium	ppm	ASTM D5185m		<1	<1	0		
Potassium	ppm	ASTM D5185m	>20	0	0	0		
VISUAL		method	limit/base	current	history1	history2		
White Metal	scalar	*Visual	NONE	NONE	MODER	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	NEG		
Free Water	scalar	*Visual		NEG	NEG	NEG		



## **OIL ANALYSIS REPORT**



FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	69.9	70.1	70.0	70.7
SAMPLE IMAGES		method	limit/base	current	history1	history2
Color						
Bottom						

# **GRAPHS** Ferrous Alloys Non-ferrous Metals Viscosity @ 40°C t (40°C) 55





Certificate L2367

Laboratory Sample No. Lab Number Test Package : IND 1

Unique Number : 10443279

: WC0805895 : 05829786

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 25 Apr 2023 Diagnosed Diagnostician : Sean Felton

: 28 Apr 2023

GREELEY, CO US 80631-5909 Contact: ERIC KLINE

EKLINE@LEPRINOFOODS.COM

**LEPRINO FOODS-GREELEY** 

To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: (970)347-5190

Report Id: LEPGRE [WUSCAR] 05829786 (Generated: 08/08/2023 18:02:46) Rev: 1

1302 1ST AVE