

**OIL ANALYSIS REPORT** 

Sample Rating Trend

ISO



Machine Id GKN12928

Component **Hydraulic System** 

{not provided} (12 GAL)

-	AG	N 12	$\neg$	10

## ▲ Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

### Wear

All component wear rates are normal.

# Contamination

There is a light amount of silt (particulates < 14 microns in size) present in the oil.


### **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Apr2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0809617		
Sample Date		Client Info		18 Apr 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ATTENTION		
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	0		
Chromium	ppm	ASTM D5185m	>20	0		
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>20	0		
Lead	ppm	ASTM D5185m	>20	0		
Copper	ppm	ASTM D5185m	>20	<1		
Tin	ppm	ASTM D5185m	>20	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		72		
Phosphorus	ppm	ASTM D5185m		165		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		488		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	0		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>2500	<b>▲ 2728</b>		
Particles >6µm		ASTM D7647	>320	<b>436</b>		
Particles >14µm		ASTM D7647	>40	28		
Particles >21µm		ASTM D7647	>10	4		
Particles >38µm		ASTM D7647	>3	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>18/15/12	<b>19/16/12</b>		
On Oloaniinooo		100 4400 (0)	/10/10/12	13/10/12		
FLUID DEGRADA	TION _	method	limit/base	current	history1	history2



# **OIL ANALYSIS REPORT**







Certificate L2367

Laboratory Sample No.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513

Unique Number : 10443665

: WC0809617 Lab Number : 05830172

Test Package : IND 2

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Received

Diagnosed

**Tested** 

: 26 Apr 2023

: 27 Apr 2023

: 27 Apr 2023 - Wes Davis

**NEFF PRESS INC.** 

6510 PAGE AVE ST. LOUIS, MO US 63133

F: (314)725-2230

Contact: JON SCHMIDT

jschmidt@neffpress.com T: (314)288-6860