

## **OIL ANALYSIS REPORT**

Sample Rating Trend





## Area CONSTRUCTORS, INC Machine Id MACK MP 7 EGR 010093 Component

Transmission Fluic

Mobil 1 Synthetic Gear Lubricant LS 75W-140 (--- GAL)

DIAGNOSIS	SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Recommendation	Sample Number		Client Info		SBP0004529		
Resample at the next service interval to monitor.	Sample Date		Client Info		14 Jul 2023		
Wear	Machine Age	hrs	Client Info		4552		
All component wear rates are normal.	Oil Age	hrs	Client Info		4500		
Contamination	Oil Changed		Client Info		N/A		
There is no indication of any contamination in the	Sample Status				NORMAL		
oil.	WEAR METALS		mathad	limit/base	ourroat	biotomut	biotory ()
Fluid Condition	WEAR METALS		method		current	history1	history2
The condition of the oil is acceptable for the time in service.	Iron	ppm	ASTM D5185m		25		
	Chromium	ppm	ASTM D5185m		<1		
	Nickel	ppm	ASTM D5185m	>5	<1		
	Titanium	ppm	ASTM D5185m		0		
	Silver	ppm	ASTM D5185m		0		
	Aluminum	ppm	ASTM D5185m	>50	3		
	Lead	ppm	ASTM D5185m	>65	<1		
	Copper	ppm	ASTM D5185m		96		
	Tin	ppm	ASTM D5185m	>6	0		
	Vanadium	ppm	ASTM D5185m		0		
	Cadmium	ppm	ASTM D5185m		0		
	ADDITIVES		method	limit/base	current	history1	history2
	Boron	ppm	ASTM D5185m		3		
	Barium	ppm	ASTM D5185m		0		
	Molybdenum	ppm	ASTM D5185m		2		
	Manganese	ppm	ASTM D5185m		8		
	Magnesium	ppm	ASTM D5185m		6		
	Calcium	ppm	ASTM D5185m		845		
	Phosphorus	ppm	ASTM D5185m		624		
	Zinc	ppm	ASTM D5185m		29		
	Sulfur	ppm	ASTM D5185m		3549		
	CONTAMINANTS		method	limit/base	current	history1	history2
	Silicon	ppm	ASTM D5185m	>65	54		
	Sodium	ppm	ASTM D5185m		0		
	Potassium	ppm	ASTM D5185m	>20	4		
	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
	Appearance	scalar	*Visual	NORML	NORML		
	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	IES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	170	88.0		

Report Id: CONLINNE [WUSCAR] 05900868 (Generated: 07/19/2023 12:22:54) Rev: 1

Page 1 of 2



## **OIL ANALYSIS REPORT**



Submitted By: Jack Linhart Page 2 of 2