




# OIL ANALYSIS REPORT

Sample Rating Trend



**NORMAL**



Machine Id  
**27279**  
 Component  
**Diesel Engine**  
 Fluid  
**NOT GIVEN (--- GAL)**

## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		<b>KL0011943</b>	KLM2339300	KLM2339411
Sample Date	Client Info		<b>27 Jul 2023</b>	08 Apr 2023	12 Feb 2023
Machine Age	mls	Client Info	<b>37920</b>	35659	32468
Oil Age	mls	Client Info	<b>0</b>	0	8435
Oil Changed	Client Info		<b>N/A</b>	N/A	N/A
Sample Status			<b>NORMAL</b>	NORMAL	ABNORMAL

## CONTAMINATION

	method	limit/base	current	history1	history2
Fuel	WC Method	>5	<b>&lt;1.0</b>	<1.0	<1.0
Glycol	WC Method		<b>NEG</b>	NEG	NEG

## WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m >100	<b>3</b>	14	22
Chromium	ppm	ASTM D5185m >20	<b>&lt;1</b>	<1	1
Nickel	ppm	ASTM D5185m >4	<b>0</b>	0	0
Titanium	ppm	ASTM D5185m	<b>0</b>	<1	<1
Silver	ppm	ASTM D5185m >3	<b>0</b>	0	0
Aluminum	ppm	ASTM D5185m >20	<b>0</b>	3	6
Lead	ppm	ASTM D5185m >40	<b>0</b>	0	<1
Copper	ppm	ASTM D5185m >330	<b>0</b>	2	3
Tin	ppm	ASTM D5185m >15	<b>0</b>	0	0
Vanadium	ppm	ASTM D5185m	<b>0</b>	0	0
Cadmium	ppm	ASTM D5185m	<b>0</b>	0	0

## ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	<b>142</b>	49	32
Barium	ppm	ASTM D5185m	<b>0</b>	0	0
Molybdenum	ppm	ASTM D5185m	<b>65</b>	62	53
Manganese	ppm	ASTM D5185m	<b>&lt;1</b>	<1	2
Magnesium	ppm	ASTM D5185m	<b>1142</b>	1146	1016
Calcium	ppm	ASTM D5185m	<b>1008</b>	1026	1207
Phosphorus	ppm	ASTM D5185m	<b>1113</b>	1088	994
Zinc	ppm	ASTM D5185m	<b>1326</b>	1365	1363
Sulfur	ppm	ASTM D5185m	<b>4302</b>	4129	3722

## CONTAMINANTS





	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m >25	<b>4</b>	5	6
Sodium	ppm	ASTM D5185m	<b>2</b>	3	3
Potassium	ppm	ASTM D5185m >20	<b>&lt;1</b>	10	19

## INFRA-RED

	method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844 >3	<b>0.1</b>	0.5	0.6
Nitration	Abs/cm	*ASTM D7624 >20	<b>5.4</b>	9.6	10.7
Sulfation	Abs./1mm	*ASTM D7415 >30	<b>18.4</b>	23.7	24.9



# OIL ANALYSIS REPORT








FLUID CLEANLINESS	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647		<b>3567</b>	1836	154
Particles >6µm	ASTM D7647	>5000	<b>1943</b>	1000	▲ 8407
Particles >14µm	ASTM D7647	>640	<b>331</b>	170	▲ 1431
Particles >21µm	ASTM D7647	>160	<b>111</b>	57	▲ 482
Particles >38µm	ASTM D7647	>40	<b>17</b>	9	▲ 74
Particles >71µm	ASTM D7647	>10	<b>2</b>	1	8
Oil Cleanliness	ISO 4406 (c)	>19/16	<b>18/16</b>	17/15	▲ 20/18

FLUID DEGRADATION	method	limit/base	current	history1	history2	
Oxidation	Abs/.1mm	*ASTM D7414	>25	<b>14.4</b>	22.5	24.9
Base Number (BN)	mg KOH/g	ASTM D2896		<b>11.63</b>	12.86	9.86

VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	NEG	NEG	NEG
Free Water	scalar	*Visual	NEG	NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	<b>14.3</b>	13.6	13.0

## GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
 Sample No. : KL0011943  
 Lab Number : **05923584**  
 Unique Number : 10603531  
 Test Package : MOB 2 ( Additional Tests: PrtCount )

Received : 14 Aug 2023  
 Diagnosed : 16 Aug 2023  
 Diagnostician : Angela Borella

**CITY & COUNTY HONOLULU**  
 99-999 IWAENA RD  
 AIEA, HI  
 US 96701  
 Contact: CLYDE OMIJA  
 comija@honolulu.gov  
 T: (575)623-9952  
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)