




OIL ANALYSIS REPORT

Sample Rating Trend



ISO



Machine Id
35170
 Component
Diesel Engine
 Fluid
NOT GIVEN (--- QTS)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is a moderate amount of particulates present in the oil.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		KL0012067	KLM2339387	KLM2340522
Sample Date	Client Info		27 Jul 2023	10 Apr 2023	10 Feb 2023
Machine Age	mls	Client Info	34704	34636	24594
Oil Age	mls	Client Info	0	0	24594
Oil Changed	Client Info		N/A	N/A	N/A
Sample Status			ATTENTION	ABNORMAL	NORMAL

CONTAMINATION

	method	limit/base	current	history1	history2
Fuel	WC Method	>5	<1.0	0.3	<1.0
Glycol	WC Method		NEG	NEG	NEG

WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m >100	8	23	11
Chromium	ppm	ASTM D5185m >20	<1	1	<1
Nickel	ppm	ASTM D5185m >4	0	<1	0
Titanium	ppm	ASTM D5185m	<1	<1	<1
Silver	ppm	ASTM D5185m >3	0	<1	0
Aluminum	ppm	ASTM D5185m >20	1	6	4
Lead	ppm	ASTM D5185m >40	0	0	<1
Copper	ppm	ASTM D5185m >330	22	88	42
Tin	ppm	ASTM D5185m >15	<1	<1	<1
Vanadium	ppm	ASTM D5185m	0	0	0
Cadmium	ppm	ASTM D5185m	0	0	0

ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	121	40	111
Barium	ppm	ASTM D5185m	0	0	0
Molybdenum	ppm	ASTM D5185m	66	63	58
Manganese	ppm	ASTM D5185m	<1	<1	2
Magnesium	ppm	ASTM D5185m	1130	998	965
Calcium	ppm	ASTM D5185m	1049	1199	1190
Phosphorus	ppm	ASTM D5185m	1102	968	929
Zinc	ppm	ASTM D5185m	1314	1228	1220
Sulfur	ppm	ASTM D5185m	4203	3251	3604

CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m >25	5	5	4
Sodium	ppm	ASTM D5185m	1	2	1
Potassium	ppm	ASTM D5185m >20	4	19	13


INFRA-RED

	method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844 >3	0.1	0.4	0.2
Nitration	Abs/cm	*ASTM D7624 >20	5.6	9.9	6.7
Sulfation	Abs/.1mm	*ASTM D7415 >30	18.3	21.7	19.1




OIL ANALYSIS REPORT


▲ Particle Trend




▲ Particle Trend



Base Number



Viscosity @ 100°C



FLUID CLEANLINESS	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647		9657	5411	1305
Particles >6µm	ASTM D7647	>5000	▲ 5261	2948	711
Particles >14µm	ASTM D7647	>640	▲ 895	502	121
Particles >21µm	ASTM D7647	>160	▲ 302	169	41
Particles >38µm	ASTM D7647	>40	▲ 47	26	6
Particles >71µm	ASTM D7647	>10	5	3	1
Oil Cleanliness	ISO 4406 (c)	>19/16	▲ 20/17	19/16	17/14


FLUID DEGRADATION	method	limit/base	current	history1	history2
Oxidation	Abs/.1mm *ASTM D7414	>25	14.2	19.0	15.0
Base Number (BN)	mg KOH/g ASTM D2896		11.05	11.50	10.58

VISUAL	method	limit/base	current	history1	history2
White Metal	scalar *Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar *Visual	NONE	NONE	NONE	NONE
Precipitate	scalar *Visual	NONE	NONE	NONE	NONE
Silt	scalar *Visual	NONE	NONE	NONE	NONE
Debris	scalar *Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar *Visual	NONE	NONE	NONE	NONE
Appearance	scalar *Visual	NORML	NORML	NORML	NORML
Odor	scalar *Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar *Visual	>0.2	NEG	NEG	NEG
Free Water	scalar *Visual		NEG	NEG	NEG


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt ASTM D445		14.0	▲ 11.8	12.6

GRAPHS


Ferrous Alloys




Non-ferrous Metals




Viscosity @ 100°C



▲ Particle Count



Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
 Sample No. : KL0012067 Received : 14 Aug 2023
 Lab Number : 05923591 Diagnosed : 18 Aug 2023
 Unique Number : 10603538 Diagnostician : Jonathan Hester
 Test Package : MOB 2 (Additional Tests: PrtCount)

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

CITY & COUNTY HONOLULU
 99-999 IWAENA RD
 AIEA, HI
 US 96701
 Contact: CLYDE OMIJA
 comija@honolulu.gov
 T: (575)623-9952
 F: