




# OIL ANALYSIS REPORT

Sample Rating Trend



**NORMAL**



Machine Id  
**35154**

Component  
**Diesel Engine**

Fluid  
**DIESEL ENGINE OIL SAE 40 (--- QTS)**

## DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil.

### Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			<b>KL0012062</b>	KLM2339343	KL0010008
Sample Date	Client Info			<b>27 Jul 2023</b>	14 Feb 2023	04 Nov 2022
Machine Age	mls	Client Info		<b>185128</b>	181775	179593
Oil Age	mls	Client Info		<b>0</b>	28179	25997
Oil Changed	Client Info			<b>N/A</b>	N/A	N/A
Sample Status				<b>NORMAL</b>	NORMAL	ATTENTION

CONTAMINATION		method	limit/base	current	history1	history2
Fuel	WC Method	>3.0		<b>&lt;1.0</b>	<1.0	<1.0
Glycol	WC Method			<b>NEG</b>	NEG	NEG

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>65	<b>13</b>	6	20
Chromium	ppm	ASTM D5185m	>5	<b>&lt;1</b>	<1	1
Nickel	ppm	ASTM D5185m	>3	<b>0</b>	0	<1
Titanium	ppm	ASTM D5185m	>5	<b>&lt;1</b>	<1	<1
Silver	ppm	ASTM D5185m	>2	<b>0</b>	0	0
Aluminum	ppm	ASTM D5185m	>35	<b>4</b>	2	6
Lead	ppm	ASTM D5185m	>10	<b>0</b>	<1	1
Copper	ppm	ASTM D5185m	>180	<b>19</b>	4	8
Tin	ppm	ASTM D5185m	>8	<b>&lt;1</b>	0	1
Antimony	ppm	ASTM D5185m	>35	<b>---</b>	---	---
Vanadium	ppm	ASTM D5185m		<b>0</b>	0	0
Cadmium	ppm	ASTM D5185m		<b>0</b>	0	0





ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	250	<b>91</b>	112	4
Barium	ppm	ASTM D5185m	10	<b>0</b>	0	0
Molybdenum	ppm	ASTM D5185m	100	<b>59</b>	55	11
Manganese	ppm	ASTM D5185m		<b>&lt;1</b>	1	<1
Magnesium	ppm	ASTM D5185m	450	<b>1049</b>	1038	137
Calcium	ppm	ASTM D5185m	3000	<b>1351</b>	1413	1898
Phosphorus	ppm	ASTM D5185m	1150	<b>1169</b>	1114	810
Zinc	ppm	ASTM D5185m	1350	<b>1427</b>	1467	1002
Sulfur	ppm	ASTM D5185m	4250	<b>4579</b>	4434	3541

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<b>5</b>	6	8
Sodium	ppm	ASTM D5185m	>216	<b>4</b>	2	4
Potassium	ppm	ASTM D5185m	>20	<b>4</b>	3	6

INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	<b>0.3</b>	0.2	0.8
Nitration	Abs/cm	*ASTM D7624	>20	<b>6.9</b>	6.0	10.4
Sulfation	Abs/.1mm	*ASTM D7415	>30	<b>19.3</b>	19.0	24.0



# OIL ANALYSIS REPORT








FLUID CLEANLINESS	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647		<b>5507</b>	1749	10781
Particles >6µm	ASTM D7647	>5000	<b>3000</b>	953	▲ 5873
Particles >14µm	ASTM D7647	>640	<b>511</b>	162	▲ 1000
Particles >21µm	ASTM D7647	>160	<b>172</b>	55	▲ 337
Particles >38µm	ASTM D7647	>40	<b>27</b>	8	52
Particles >71µm	ASTM D7647	>10	<b>3</b>	1	5
Oil Cleanliness	ISO 4406 (c)	>19/16	<b>19/16</b>	17/15	▲ 20/17

FLUID DEGRADATION	method	limit/base	current	history1	history2	
Oxidation	Abs./1mm	*ASTM D7414	>25	<b>14.6</b>	13.8	16.1
Base Number (BN)	mg KOH/g	ASTM D2896	8.5	<b>11.46</b>	10.73	5.84

VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	NEG	NEG	NEG
Free Water	scalar	*Visual	NEG	NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 100°C	cSt	ASTM D445	14.4	<b>14.2</b>	12.9	15.2

## GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : KL0012062 **Received** : 14 Aug 2023  
**Lab Number** : 05923595 **Diagnosed** : 18 Aug 2023  
**Unique Number** : 10603542 **Diagnostician** : Jonathan Hester  
**Test Package** : MOB 2 ( Additional Tests: PrtCount )

**CITY & COUNTY HONOLULU**  
 99-999 IWAENA RD  
 AIEA, HI  
 US 96701  
 Contact: CLYDE OMIJA  
 comija@honolulu.gov  
 T: (575)623-9952  
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)