

OIL ANALYSIS REPORT

Sample Rating Trend







HC2237 Component 1 Swing Drive GEAR OIL ISO 220 (--- GAL)

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFORM	NATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0746532		
Sample Date		Client Info		19 Jul 2023		
Machine Age	hrs	Client Info		1146		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>400	47		
Chromium	ppm	ASTM D5185m	>10	1		
Nickel	ppm	ASTM D5185m	>10	<1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>50	<1		
Copper	ppm	ASTM D5185m	>200	1		
Tin	ppm	ASTM D5185m	>10	، <1		
Vanadium	ppm	ASTM D5185m	210	<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES	1 1	method	limit/base	current	history1	history2
Boron	nom	ASTM D5185m	50	<1		
Barium	ppm ppm	ASTM D5185m	15	<1		
				0		
Molybdenum	ppm	ASTM D5185m	15	-		
Manganese	ppm	ASTM D5185m	50	<1		
Magnesium	ppm	ASTM D5185m	50	<1 3		
Calcium	ppm	ASTM D5185m	350	38		
Phosphorus	ppm	ASTM D5185m		22		
Zinc Sulfur	ppm	ASTM D5185m ASTM D5185m	100 12500	2422		
	ppm					
CONTAMINANTS		method	limit/base		history1	history2
Silicon	ppm		>50	4		
Sodium	ppm	ASTM D5185m		5		
Potassium	ppm	ASTM D5185m	>20	3		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	220	242		
1:52:43) Rev: 1					JOHN HAWKIN	IS - BUCWILTX


Report Id: BUCWILTX [WUSCAR] 05925626 (Generated: 08/17/2023 11:52:43) Rev: 1



Viscosity @ 40°C

OIL ANALYSIS REPORT

SAMPLE IMAGES



* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: