




# PROBLEM SUMMARY

Sample Rating Trend




VISCOSITY



Machine Id  
**HC2211**  
 Component  
**Gearbox**  
 Fluid  
**GEAR OIL ISO 220 (--- GAL)**

## COMPONENT CONDITION SUMMARY

### ▲ Viscosity @ 40°C



## RECOMMENDATION

The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

## PROBLEMATIC TEST RESULTS

Sample Status				ATTENTION	ATTENTION	---
Visc @ 40°C	cSt	ASTM D445	220	▲ 181	▲ 128	---

Customer Id: BUCWILTX  
 Sample No.: WC0810458  
 Lab Number: 05925636  
 Test Package: CONST



To manage this report scan the QR code

To discuss the diagnosis or test data:  
 Don Baldrige +1  
[don.b505@comcast.net](mailto:don.b505@comcast.net)

To change component or sample information:  
 Customer Service +1 1-800-237-1369  
[customerservice@wearcheck.com](mailto:customerservice@wearcheck.com)

## RECOMMENDED ACTIONS

*There are no recommended actions for this sample.*

## HISTORICAL DIAGNOSIS

**05 Dec 2022 Diag: Don Baldrige**

### VISCOSITY



The oil change at the time of sampling has been noted. Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The oil viscosity is lower than normal. Confirm oil type.


view report





# OIL ANALYSIS REPORT

Sample Rating Trend



VISCOSITY



Machine Id  
**HC2211**

Component  
**Gearbox**

Fluid  
**GEAR OIL ISO 220 (--- GAL)**

## DIAGNOSIS

### ▲ Recommendation

The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil.

### ▲ Fluid Condition

The oil viscosity is lower than normal.

## SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		<b>WC0810458</b>	WC0687036	---
Sample Date	Client Info		<b>17 Jun 2023</b>	05 Dec 2022	---
Machine Age	hrs	Client Info	<b>6600</b>	6127	---
Oil Age	hrs	Client Info	<b>0</b>	521	---
Oil Changed	Client Info		<b>Changed</b>	Changed	---
Sample Status			<b>ATTENTION</b>	ATTENTION	---

## WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m >200	<b>15</b>	37	---
Chromium	ppm	ASTM D5185m >10	<b>0</b>	<1	---
Nickel	ppm	ASTM D5185m >10	<b>0</b>	0	---
Titanium	ppm	ASTM D5185m	<b>0</b>	0	---
Silver	ppm	ASTM D5185m	<b>0</b>	0	---
Aluminum	ppm	ASTM D5185m >25	<b>3</b>	8	---
Lead	ppm	ASTM D5185m >50	<b>0</b>	0	---
Copper	ppm	ASTM D5185m >200	<b>&lt;1</b>	1	---
Tin	ppm	ASTM D5185m >10	<b>0</b>	0	---
Vanadium	ppm	ASTM D5185m	<b>0</b>	0	---
Cadmium	ppm	ASTM D5185m	<b>0</b>	0	---

## ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m 50	<b>&lt;1</b>	7	---
Barium	ppm	ASTM D5185m 15	<b>&lt;1</b>	0	---
Molybdenum	ppm	ASTM D5185m 15	<b>0</b>	0	---
Manganese	ppm	ASTM D5185m	<b>&lt;1</b>	<1	---
Magnesium	ppm	ASTM D5185m 50	<b>2</b>	<1	---
Calcium	ppm	ASTM D5185m 50	<b>2</b>	7	---
Phosphorus	ppm	ASTM D5185m 350	<b>397</b>	326	---
Zinc	ppm	ASTM D5185m 100	<b>26</b>	63	---
Sulfur	ppm	ASTM D5185m 12500	<b>2406</b>	3749	---

## CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m >50	<b>26</b>	13	---
Sodium	ppm	ASTM D5185m	<b>0</b>	<1	---
Potassium	ppm	ASTM D5185m >20	<b>&lt;1</b>	0	---

## VISUAL


	method	limit/base	current	history1	history2
White Metal	scalar	*Visual NONE	<b>NONE</b>	NONE	---
Yellow Metal	scalar	*Visual NONE	<b>NONE</b>	NONE	---
Precipitate	scalar	*Visual NONE	<b>NONE</b>	NONE	---
Silt	scalar	*Visual NONE	<b>NONE</b>	NONE	---
Debris	scalar	*Visual NONE	<b>NONE</b>	NONE	---
Sand/Dirt	scalar	*Visual NONE	<b>NONE</b>	NONE	---
Appearance	scalar	*Visual NORML	<b>NORML</b>	NORML	---
Odor	scalar	*Visual NORML	<b>NORML</b>	NORML	---
Emulsified Water	scalar	*Visual >0.2	<b>NEG</b>	NEG	---
Free Water	scalar	*Visual	<b>NEG</b>	NEG	---

## FLUID PROPERTIES

	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445 220	<b>▲ 181</b>	▲ 128	---






# OIL ANALYSIS REPORT



SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image

## GRAPHS



Certificate L2367

**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : WC0810458      **Received** : 15 Aug 2023  
**Lab Number** : 05925636      **Diagnosed** : 17 Aug 2023  
**Unique Number** : 10605583      **Diagnostician** : Don Baldrige  
**Test Package** : CONST

**BUCKNER - WILLIS**  
 18123 HWY 75 NORTH  
 WILLIS, TX  
 US 77378  
 Contact: JOHN HAWKINS  
 johnh@bucknercompanies.com  
 T:  
 F:

To discuss this sample report, contact Customer Service at 1-800-237-1369.  
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.  
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)