

OIL ANALYSIS REPORT

Sample Rating Trend


NORMAL



CATERPILLAR D6 LGP 10039 (S/N KEW01125)

Left Final Drive

NOT GIVEN (--- GAL)





DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Moar

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil

Fluid Condition

The condition of the oil is acceptable for the time in service.

			Jun2023	Aug2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0837183	WC0816260	
Sample Date		Client Info		10 Aug 2023	28 Jun 2023	
Machine Age	hrs	Client Info		1207	558	
Oil Age	hrs	Client Info		649	558	
Oil Changed		Client Info		Changed	Changed	
Sample Status				NORMAL	NORMAL	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>800	18	28	
Chromium	ppm	ASTM D5185m	>10	<1	<1	
Nickel	ppm	ASTM D5185m	>5	0	0	
Titanium	ppm	ASTM D5185m	>15	0	<1	
Silver	ppm	ASTM D5185m	>2	0	0	
Aluminum	ppm	ASTM D5185m	>75	0	1	
Lead	ppm	ASTM D5185m	>10	0	0	
Copper	ppm	ASTM D5185m	>75	<1	2	
Tin	ppm	ASTM D5185m	>8	0	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		150	126	
Barium	ppm	ASTM D5185m		<1	0	
Molybdenum	ppm	ASTM D5185m		0	0	
Manganese	ppm	ASTM D5185m		<1	1	
Magnesium	ppm	ASTM D5185m		3	2	
Calcium	ppm	ASTM D5185m		420	387	
Phosphorus	ppm	ASTM D5185m		423	361	
Zinc	ppm	ASTM D5185m		163	36	
Sulfur	ppm	ASTM D5185m		3254	15532	
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>400	3	4	
Sodium	ppm	ASTM D5185m		0	6	
Potassium	ppm	ASTM D5185m	>20	<1	4	
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	NONE	NONE	
Debris	scalar	*Visual	NONE	NONE	NONE	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	
Free Water	scalar	*Visual		NEG	NEG	
FLUID PROPERT	IES	method	limit/base	current	history1	history2

Visc @ 40°C

cSt

ASTM D445

-


318

Contact/Location: MIKE WYATT - TRANEW

Report Id: TRANEW [WUSCAR] 05925670 (Generated: 08/17/2023 14:17:45) Rev: 1





OIL ANALYSIS REPORT




SAMPLE IMA	AGES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image

GRAPHS











Laboratory Sample No. Lab Number Unique Number : 10605617 Test Package : CONST

: WC0837183 : 05925670

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 15 Aug 2023 Diagnosed : 17 Aug 2023 Diagnostician : Jonathan Hester

TRADER CONSTRUCTION CO.

PO DRAWER 1578 NEW BERN, NC US 28563

Contact: MIKE WYATT mwyatt@traderconstruction.com

T: (252)633-1399 F: (252)638-4871

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: TRANEW [WUSCAR] 05925670 (Generated: 08/17/2023 14:17:46) Rev: 1

Contact/Location: MIKE WYATT - TRANEW