


OIL ANALYSIS REPORT

HINO [600380387] 54WEA81858

Component Wind Turbine Gearbox

CASTROL OPTIGEAR SYNTHETIC X 320 (--- LTR)





DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

		ug2012 Jur	2014 Oct2015 Jul2	017 Oct2018 Apr2020 N	ov2021	
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		NX05928209	NX05700273	NX05428551
Sample Date		Client Info		10 May 2023	24 Oct 2022	03 Nov 2021
Machine Age	mths	Client Info		0	0	0
Oil Age	mths	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
WEAR METALS		method	limit/base	current	history1	history2
PQ		ASTM D8184	>80	7	15	17
Iron	ppm	ASTM D5185m	>150	1	<1	1
Chromium	ppm	ASTM D5185m	>5	0	0	0
Nickel	ppm	ASTM D5185m	>10	<1	0	0
Titanium	ppm	ASTM D5185m	>10	0	0	0
Silver	ppm	ASTM D5185m		0	0	<1
Aluminum	ppm	ASTM D5185m	>10	<1	0	0
Lead	ppm	ASTM D5185m	>20	0	<1	<1
Copper	ppm	ASTM D5185m	>50	<1	<1	<1
Tin	ppm	ASTM D5185m	>10	0	0	0
Antimony	ppm	ASTM D5185m	>5			0
Vanadium	ppm	ASTM D5185m		0	0	<1
Cadmium	ppm	ASTM D5185m		0	0	<1
ADDITIVES		method	limit/base	current	history1	history2
ADDITIVES Boron	ppm	method ASTM D5185m	limit/base	current 0	history1 45	history2 <1
Boron Barium	ppm		limit/base			
Boron		ASTM D5185m	limit/base	0	45	<1
Boron Barium	ppm	ASTM D5185m ASTM D5185m		0 0	45 0	<1 2
Boron Barium Molybdenum	ppm	ASTM D5185m ASTM D5185m ASTM D5185m		0 0 805	45 0 773	<1 2 796
Boron Barium Molybdenum Manganese	ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m		0 0 805 0	45 0 773	<1 2 796 <1
Boron Barium Molybdenum Manganese Magnesium	ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	1150	0 0 805 0 5	45 0 773 0 7	<1 2 796 <1 4
Boron Barium Molybdenum Manganese Magnesium Calcium	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	1150	0 0 805 0 5 1465	45 0 773 0 7 1559	<1 2 796 <1 4 1546
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	1150 2000 400	0 0 805 0 5 1465 319	45 0 773 0 7 1559 340	<1 2 796 <1 4 1546 327
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	2000 400 0	0 0 805 0 5 1465 319	45 0 773 0 7 1559 340	<1 2 796 <1 4 1546 327
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	2000 400 0 1850	0 0 805 0 5 1465 319 0 2049	45 0 773 0 7 1559 340 0 2160	<1 2 796 <1 4 1546 327 0 1519
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	2000 400 0 1850 limit/base	0 0 805 0 5 1465 319 0 2049	45 0 773 0 7 1559 340 0 2160 history1	<1 2 796 <1 4 1546 327 0 1519
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	2000 400 0 1850 limit/base	0 0 805 0 5 1465 319 0 2049	45 0 773 0 7 1559 340 0 2160 history1 10 4	<1 2 796 <1 4 1546 327 0 1519 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium	ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	1150 2000 400 0 1850 limit/base >50 >20	0 0 805 0 5 1465 319 0 2049 current	45 0 773 0 7 1559 340 0 2160 history1 10 4	<1 2 796 <1 4 1546 327 0 1519 history2 12 3
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	2000 400 0 1850 limit/base >50 >20 >20	0 0 805 0 5 1465 319 0 2049 current 9 4	45 0 773 0 7 1559 340 0 2160 history1 10 4	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	2000 400 0 1850 limit/base >50 >20 >20 >0.05	0 0 805 0 5 1465 319 0 2049 current 9 4 1	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water ppm Water	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D6304 ASTM D6304	2000 400 0 1850 limit/base >50 >20 >20 >0.05 >500	0 0 805 0 5 1465 319 0 2049 current 9 4 1 0.026 269.8	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034 347.7 history1 1167	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019 196.0
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water ppm Water FLUID CLEANLIN	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D6304 ASTM D6304	2000 400 0 1850 limit/base >50 >20 >20 >0.05 >500 limit/base	0 0 805 0 5 1465 319 0 2049 current 9 4 1 0.026 269.8	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034 347.7 history1	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019 196.0 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water ppm Water FLUID CLEANLIN Particles >4µm	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D6304 ASTM D6304 ASTM D6304	2000 400 0 1850 limit/base >50 >20 >20 >0.05 >500 limit/base	0 0 805 0 5 1465 319 0 2049 current 9 4 1 0.026 269.8 current	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034 347.7 history1 1167	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019 196.0 history2 504
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water ppm Water FLUID CLEANLIN Particles >4µm Particles >6µm	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D6304 ASTM D6304 ASTM D6304 ASTM D6304 ASTM D7647 ASTM D7647	2000 400 0 1850 limit/base >50 >20 >20 >500 limit/base	0 0 805 0 5 1465 319 0 2049 current 9 4 1 0.026 269.8 current 1269 365	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034 347.7 history1 1167 279	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019 196.0 history2 504
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water ppm Water FLUID CLEANLIN Particles >6µm Particles >14µm	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D6304 ASTM D6304 ASTM D6304 ASTM D7647 ASTM D7647 ASTM D7647	2000 400 0 1850 limit/base >50 >20 >20 >500 limit/base	0 0 805 0 5 1465 319 0 2049 current 9 4 1 0.026 269.8 current 1269 365 28	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034 347.7 history1 1167 279 27	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019 196.0 history2 504 165 17
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium Water ppm Water FLUID CLEANLIN Particles >4µm Particles >14µm Particles >21µm	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D6304 ASTM D6304 ASTM D6304 ASTM D7647 ASTM D7647 ASTM D7647	2000 400 0 1850 limit/base >50 >20 >20 >0.05 >500 limit/base >2500 >320 >80 >20	0 0 805 0 5 1465 319 0 2049 current 9 4 1 0.026 269.8 current 1269 365 28 8	45 0 773 0 7 1559 340 0 2160 history1 10 4 0 0.034 347.7 history1 1167 279 27 8	<1 2 796 <1 4 1546 327 0 1519 history2 12 3 1 0.019 196.0 history2 504 165 17 11



OIL ANALYSIS REPORT



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: x: F: x: