


PROBLEM SUMMARY





Left Final Drive

ConocoPhillips 80/90 (--- GAL)









RECOMMENDATION

We advise that you check all areas where dirt can enter the system. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS								
Sample Status				ABNORMAL	NORMAL			
Aluminum	ppm	ASTM D5185m	>40	<u> </u>	11			
Silicon	ppm	ASTM D5185m	>75	A 88	60			

Customer Id: MANTUL Sample No.: WC0802442 Lab Number: 05928985 Test Package: CONST



To manage this report scan the QR code

To discuss the diagnosis or test data:

Don Baldridge +1 don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS

Action	Status	Date	Done By	Description
Check Dirt Access			?	We advise that you check all areas where dirt can enter the system.

HISTORICAL DIAGNOSIS

02 Nov 2021 Diag: Jonathan Hester

NORMAL



Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.










Area [18464] Machine Id 40-149

Left Final Drive

ConocoPhillips 80/90 (--- GAL)





DIAGNOSIS

Recommendation

We advise that you check all areas where dirt can enter the system. Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

Elemental levels of silicon (Si) and aluminum (Al) indicate alumina-silicate (coarse dirt) ingress.


Fluid Condition

The condition of the oil is acceptable for the time in service.

GAL)			Nov2021	Aug2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0802442	WC0601339	
Sample Date		Client Info		02 Aug 2023	02 Nov 2021	
Machine Age	hrs	Client Info		3468	3015	
Oil Age	hrs	Client Info		453	1000	
Oil Changed		Client Info		Not Changd	Not Changd	
Sample Status				ABNORMAL	NORMAL	
WEAR METALS		method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>750	441	290	
Chromium	ppm	ASTM D5185m	>9	5	4	
Nickel	ppm	ASTM D5185m	>10	<1	1	
Γitanium	ppm	ASTM D5185m		<1	<1	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm	ASTM D5185m	>40	<u> </u>	11	
_ead	ppm	ASTM D5185m	>15	0	<1	
Copper	ppm	ASTM D5185m	>40	<1	<1	
Γin	ppm	ASTM D5185m	>10	0	0	
Antimony	ppm	ASTM D5185m	>5		<1	
Vanadium	ppm	ASTM D5185m		<1	<1	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		10	30	
Barium	ppm	ASTM D5185m		0	0	
Molybdenum	ppm	ASTM D5185m		<1	1	
Manganese	ppm	ASTM D5185m		6	4	
Magnesium	ppm	ASTM D5185m		9	8	
Calcium	ppm	ASTM D5185m		43	38	
Phosphorus	ppm	ASTM D5185m		468	435	
Zinc	ppm	ASTM D5185m		25	20	
Sulfur	ppm	ASTM D5185m		22502	18047	
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	<u>▲</u> 88	60	
Sodium	ppm	ASTM D5185m	>51	1	<1	
Potassium	ppm	ASTM D5185m	>20	8	5	
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	LIGHT	NONE	
Debris	scalar	*Visual	NONE	NONE	NONE	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
Emulsified Water	scalar	*Visual	>0.075	NEG	NEG	
Free Water	scalar	*Visual		NEG	NEG	



OIL ANALYSIS REPORT







Certificate L2367

Laboratory Sample No. Lab Number

: WC0802442 : 05928985 Unique Number : 10608932 Test Package : CONST

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 18 Aug 2023 Diagnosed : 22 Aug 2023 Diagnostician : Don Baldridge

MANHATTAN ROAD AND BRIDGE

5601 S 122ND E AVE TULSA, OK US 74146

Contact: BEN CALDWELL kevin.marson@wearcheck.com

T: (918)728-5749

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)