


# **OIL ANALYSIS REPORT**

Sample Rating Trend



NORMAL



Q27002-G1

Component **Hoist** 

NOT GIVEN (--- GAL)

$\Box$		$\sim$	. 10	$\neg$	71/	$\overline{}$
DI	А	(51	МÜ	D).	3 I	3
-1	, ,					

#### Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

#### Wear

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil.

#### **Fluid Condition**

The condition of the oil is acceptable for the time in service.

				Aug2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		DC0028385		
Sample Date		Client Info		20 Aug 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed	0	Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>300	20		
Chromium	ppm	ASTM D5185m	>5	<1		
Vickel	ppm	ASTM D5185m	>4	0		
Titanium	ppm	ASTM D5185m	7	0		
Silver		ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>10	2		
Aluminum Lead	ppm	ASTM D5185m	>10	0		
	ppm					
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		23		
Barium	ppm	ASTM D5185m		5		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		10		
Calcium	ppm	ASTM D5185m		1002		
Phosphorus	ppm	ASTM D5185m		1112		
Zinc	ppm	ASTM D5185m		440		
Sulfur	ppm	ASTM D5185m		20052		
CONTAMINANTS	3	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	5		
Sodium	ppm	ASTM D5185m		3		
Potassium	ppm	ASTM D5185m	>20	<1		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	LIGHT		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual	-	NEG		
FLUID PROPERT	TIES	method	limit/base	current	history1	history2

Visc @ 40°C

cSt

ASTM D445


.

---



## **OIL ANALYSIS REPORT**









Certificate L2367

Laboratory Sample No. Lab Number

: 05929077 Unique Number : 10609024 Test Package : MOB 1

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : DC0028385

Received : 18 Aug 2023 : 22 Aug 2023 Diagnosed Diagnostician : Don Baldridge **CRANEWORKS INC - MID-ATLANTIC** 11089 LEADBETTER ROAD

ASHLAND, VA US 23005

no image

Contact: JASON WILDE jcwilde@vacraneworks.com

To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:

F: