




OIL ANALYSIS REPORT

Sample Rating Trend



ISO



Area
METRO
 Machine Id
METRO 23003
 Component
Front Differential
 Fluid
NOT GIVEN (--- GAL)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor. Please note that this is a corrected copy for laboratory data updates of elemental data.

Wear

All component wear rates are normal.

Contamination

There is a high amount of silt (particulates < 14 microns in size) present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		WC0843184	WC0815553	WC0728440
Sample Date	Client Info		10 Aug 2023	01 May 2023	21 Jul 2022
Machine Age	mls	Client Info	91106	63195	15
Oil Age	mls	Client Info	0	0	0
Oil Changed	Client Info		N/A	N/A	N/A
Sample Status			ABNORMAL	ABNORMAL	ABNORMAL

WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m >500	316	232	31
Chromium	ppm	ASTM D5185m >10	2	2	0
Nickel	ppm	ASTM D5185m >10	<1	<1	0
Titanium	ppm	ASTM D5185m	0	0	0
Silver	ppm	ASTM D5185m	<1	0	0
Aluminum	ppm	ASTM D5185m >25	4	<1	0
Lead	ppm	ASTM D5185m >25	0	<1	0
Copper	ppm	ASTM D5185m >100	2	2	<1
Tin	ppm	ASTM D5185m >10	0	0	0
Vanadium	ppm	ASTM D5185m	<1	0	0
Cadmium	ppm	ASTM D5185m	0	0	0

ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	433	428	418
Barium	ppm	ASTM D5185m	31	0	0
Molybdenum	ppm	ASTM D5185m	1	2	<1
Manganese	ppm	ASTM D5185m	13	11	3
Magnesium	ppm	ASTM D5185m	14	4	4
Calcium	ppm	ASTM D5185m	19	22	14
Phosphorus	ppm	ASTM D5185m	1806	2085	1863
Zinc	ppm	ASTM D5185m	40	7	8
Sulfur	ppm	ASTM D5185m	23642	25056	25056

CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m >75	44	37	10
Sodium	ppm	ASTM D5185m	9	8	5
Potassium	ppm	ASTM D5185m >20	2	4	0
Water	%	ASTM D6304 >.2	0.033	0.026	0.049
ppm Water	ppm	ASTM D6304 >2000	333.4	262.7	497.8

FLUID CLEANLINESS






	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>20000	▲ 131526	▲ 138137	▲ 131437
Particles >6µm	ASTM D7647	>5000	▲ 16833	▲ 30334	▲ 18562
Particles >14µm	ASTM D7647	>640	35	26	415
Particles >21µm	ASTM D7647	>160	8	2	76
Particles >38µm	ASTM D7647	>40	0	1	4
Particles >71µm	ASTM D7647	>10	0	0	1
Oil Cleanliness	ISO 4406 (c)	>21/19/16	▲ 24/21/12	▲ 24/22/12	▲ 24/21/16

FLUID DEGRADATION

	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	3.44	3.21	0.49




OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	LIGHT	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>.2	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	62.9	63.6	66.7
Visc @ 100°C	cSt	ASTM D445	10.9	11.0	11.4
Viscosity Index (VI)	Scale	ASTM D2270	165	166	165

SAMPLE IMAGES



GRAPHS



Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WC0843184 **Received** : 24 Aug 2023
Lab Number : 05934313 **Diagnosed** : 31 Aug 2023
Unique Number : 10619584 **Diagnostician** : Doug Bogart
Test Package : MOB 2 (Additional Tests: KF, KV100, PrtCount, VI)

BASF - GIANNA CREDAROLI
 500 WHITE PLAINS RD
 TARRYTOWN, NY
 US 10591
 Contact: GIANNA CREDAROLI
 gianna.credaroli@basf.com

To discuss this sample report, contact Customer Service at 1-800-237-1369.
 * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)