

PROBLEM SUMMARY

Sample Rating Trend


DIRT

NOT GIVEN WC0617482 (S/N NO INFO GIVEN)

Compressor

MAC V MAX 32/46 (--- GAL)

COMPONENT CONDITION SUMMARY



RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS							
Sample Status				ABNORMAL			
Silicon	ppm	ASTM D5185m	>25	40			

Customer Id: LOPHAM **Sample No.:** WC0617482 Lab Number: 05934928 Test Package: IND 2



To manage this report scan the QR code

To discuss the diagnosis or test data: Don Baldridge +1

don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS

There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

DIRT

history2

Machine Id

NOT GIVEN WC0617482 (S/N NO INFO GIVEN)

Component

Compressor

MAC V MAX 32/46 (--- GAL)

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

Waar

All component wear rates are normal.

Contamination

Elemental level of silicon (Si) above normal.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.


SIS REPORT	Samp	le Rating Trend	<u> </u>		
O INFO GIVEN)		Aug	23		
SAMPLE INFORMATION	method	limit/base	current	hist	tory
Sample Number	Client Info	W	/C0617482		

SAMPLE INFORM	IATION	metnoa	ilmit/base	current	nistory i	nistory2
Sample Number		Client Info		WC0617482		
Sample Date		Client Info		08 Aug 2023		
Machine Age	hrs	Client Info		17935		
Oil Age	hrs	Client Info		1578		
Oil Changed		Client Info		Not Changd		
Sample Status				ABNORMAL		
WEAR METALS		method	limit/base	current	hiotonya	hiotom/2
WEAR METALS				Current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	<1		
Tin	ppm	ASTM D5185m	>15	8		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		294		
Zinc	ppm	ASTM D5185m		<1		
Sulfur	ppm	ASTM D5185m		96		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	4 0		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	<1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.71		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
0.10.17\ David				Contact/Lacati	on IEDDV AD	AMC LODIIAM

Contact/Location: JERRY ADAMS - LOPHAM



OIL ANALYSIS REPORT







Certificate L2367

Laboratory Sample No. Lab Number

: WC0617482 : 05934928 Unique Number : 10620199 Test Package : IND 2

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received Diagnosed

: 25 Aug 2023 : 28 Aug 2023 Diagnostician : Don Baldridge

LOPAREX 1740 RIDGEWAY ST HAMMOND, WI US 54015

Contact: JERRY ADAMS

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: (715)796-5814 F: