

OIL ANALYSIS REPORT

Sample Rating Trend


NORMAL



CATERPILLAR D6 LGP 10041 (S/N KEW01161)

Component **Transmission**

NOT GIVEN (--- GAL)





Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.

Fluid Condition

The condition of the fluid is acceptable for the time in service.

Chromium ppm ASTM D5185m >10 <1	
Sample Number Client Info WC0831335 Sample Date Client Info 18 Sep 2023 Machine Age hrs Client Info 675 Oil Age hrs Client Info Not Changd Oil Changed Client Info Not Changd Sample Status NORMAL WEAR METALS method limit/base current history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m <1 Silver ppm ASTM D5185m >50 2 Aluminum ppm ASTM D5185m >50 2 Lead ppm ASTM D5185m >200 6 Tin ppm ASTM D5185m 0	
Sample Date Client Info 18 Sep 2023 Sample Date hrs Client Info 675 Sample Date hrs Client Info 675 Sample Date Client Info 675 Sample Status NORMAL Normal Status NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL NORMAL	history2
Machine Age hrs Client Info 675 Oil Age hrs Client Info 675 Oil Changed Client Info Not Changd Sample Status NORMAL WEAR METALS method limit/base current history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1	
Oil Age hrs Client Info 675 Oil Changed Client Info Not Changd Sample Status NORMAL WEAR METALS method limit/base current history1 Iron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1	
Dil Changed Client Info Not Changd Sample Status NORMAL	
NORMAL	
WEAR METALS method limit/base current history1 ron ppm ASTM D5185m >200 12 Chromium ppm ASTM D5185m >10 <1	
Chromium	
Chromium ppm ASTM D5185m >10 <1 Nickel ppm ASTM D5185m <1	history2
Nickel	
Titanium	
Silver	
Aluminum	
Dept	
Copper ppm ASTM D5185m >200 6 Fin ppm ASTM D5185m >10 0 Vanadium ppm ASTM D5185m 0 Cadmium ppm ASTM D5185m 0 Boron ppm ASTM D5185m 0 Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1	
Part	
Vanadium ppm ASTM D5185m 0 Cadmium ppm ASTM D5185m 0 ADDITIVES method limit/base current history 1 Boron ppm ASTM D5185m 0 Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1	
Cadmium ppm ASTM D5185m 0 ADDITIVES method limit/base current history1 Boron ppm ASTM D5185m 0 Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1	
ADDITIVES method limit/base current history1 Boron ppm ASTM D5185m 0 Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1	
Boron ppm ASTM D5185m 0 Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1 Manganese ppm ASTM D5185m <1 Magnesium ppm ASTM D5185m 13	
Barium ppm ASTM D5185m 0 Molybdenum ppm ASTM D5185m <1 Manganese ppm ASTM D5185m <1 Magnesium ppm ASTM D5185m 13	history2
Molybdenum ppm ASTM D5185m <1 Manganese ppm ASTM D5185m <1 Magnesium ppm ASTM D5185m 13	
Manganese ppm ASTM D5185m <1 Magnesium ppm ASTM D5185m 13	
Magnesium ppm ASTM D5185m 13	
Magnesium ppm ASTM D5185m 13	
Calcium ppm ASTM D5185m 3075	
Phosphorus ppm ASTM D5185m 1075	
1071175105	
1071107107	
CONTAMINANTS method limit/base current history1	history2
Silicon ppm ASTM D5185m >50 15	
Sodium ppm ASTM D5185m 1	
Potassium ppm ASTM D5185m >20 2	
VISUAL method limit/base current history1	history2
Nhite Metal scalar *Visual NONE NONE	
Yellow Metal scalar *Visual NONE NONE	
Precipitate scalar *Visual NONE NONE	
Silt scalar *Visual NONE NONE	
Debris scalar *Visual NONE NONE	
Sand/Dirt scalar *Visual NONE NONE	
Appearance scalar *Visual NORML NORML	
1 10 1 10 10 10 10 10	
- 1.6 1.W.	
FLUID PROPERTIES method limit/base current history1	

Visc @ 40°C


cSt

ASTM D445

Contact/Location: MIKE WYATT - TRANEW




OIL ANALYSIS REPORT







GRAPHS



Non-ferrous Metals









Certificate L2367

Laboratory Sample No. Lab Number Unique Number : 10672355

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : WC0831335 : 05965804 Test Package : CONST

To discuss this sample report, contact Customer Service at 1-800-237-1369.

Received Diagnosed

: 29 Sep 2023 : 03 Oct 2023 Diagnostician : Don Baldridge

TRADER CONSTRUCTION CO. PO DRAWER 1578 NEW BERN, NC US 28563

Contact: MIKE WYATT mwyatt@traderconstruction.com T: (252)633-1399

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: (252)638-4871