CCECO A Y2K Fluid Power Brand

OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL

Machine Id
ARRTSSSI 2500 1 H (S/N C2761)
Component
Hydraulic System
Fluid
AW HYDRAULIC OIL ISO 46 (700 GAL)

DIAGNOSIS

Recommendation
Resample at the next service interval to monitor.

Wear
All component wear rates are normal.

Contamination
The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The water content is negligible. The system and fluid cleanliness is acceptable.

Fluid Condition
The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number		Client Info		**Y2K0000863**	Y2K0000843	Y2K0000833
Sample Date		Client Info		**26 Sep 2023**	26 Jul 2023	18 May 2023
Machine Age	hrs	Client Info		**0**	0	0
Oil Age	hrs	Client Info		**0**	0	0
Oil Changed		Client Info		**N/A**	N/A	N/A
Sample Status				**NORMAL**	ATTENTION	ATTENTION

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	**2**	0	2
Chromium	ppm	ASTM D5185m	>20	**8**	7	7
Nickel	ppm	ASTM D5185m	>20	**0**	<1	0
Titanium	ppm	ASTM D5185m		**0**	0	0
Silver	ppm	ASTM D5185m		**0**	<1	0
Aluminum	ppm	ASTM D5185m	>20	**1**	<1	1
Lead	ppm	ASTM D5185m	>20	**0**	<1	0
Copper	ppm	ASTM D5185m	>20	**2**	2	2
Tin	ppm	ASTM D5185m	>20	**0**	0	0
Vanadium	ppm	ASTM D5185m		**0**	0	0
Cadmium	ppm	ASTM D5185m		**0**	0	0

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	5	**0**	0	0
Barium	ppm	ASTM D5185m	5	**0**	0	0
Molybdenum	ppm	ASTM D5185m	5	**0**	0	0
Manganese	ppm	ASTM D5185m		**0**	0	<1
Magnesium	ppm	ASTM D5185m	25	**2**	0	<1
Calcium	ppm	ASTM D5185m	200	**53**	53	52
Phosphorus	ppm	ASTM D5185m	300	**335**	351	338
Zinc	ppm	ASTM D5185m	370	**433**	442	417
Sulfur	ppm	ASTM D5185m	2500	**999**	857	1030

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	**1**	<1	<1
Sodium	ppm	ASTM D5185m		**0**	0	<1
Potassium	ppm	ASTM D5185m	>20	**<1**	0	0
Water	%	ASTM D6304	>0.05	**0.005**	0.011	0.007
ppm Water	ppm	ASTM D6304	>500	**55.7**	110.0	73.9

FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	**1801**	▲ 9296	▲ 6069
Particles >6µm		ASTM D7647	>1300	**196**	▲ 1564	992
Particles >14µm		ASTM D7647	>160	**8**	59	30
Particles >21µm		ASTM D7647	>40	**2**	11	6
Particles >38µm		ASTM D7647	>10	**1**	0	1
Particles >71µm		ASTM D7647	>3	**1**	0	0
Oil Cleanliness		ISO 4406 (c)	>19/17/14	**18/15/10**	▲ 20/18/13	▲ 20/17/12

FLUID DEGRADATION		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.57	**0.30**	0.31	0.26

OIL ANALYSIS REPORT

CCECO A Y2K Fluid Power Brand

Water (KF)



Particle Trend



Water (KF)



Viscosity @ 40°C



Particle Trend



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	**NONE**	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	**NONE**	NONE	NONE
Precipitate	scalar	*Visual	NONE	**NONE**	NONE	NONE
Silt	scalar	*Visual	NONE	**NONE**	NONE	NONE
Debris	scalar	*Visual	NONE	**NONE**	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	**NONE**	NONE	NONE
Appearance	scalar	*Visual	NORML	**NORML**	NORML	NORML
Odor	scalar	*Visual	NORML	**NORML**	NORML	NORML
Emulsified Water	scalar	*Visual	>0.05	**NEG**	NEG	NEG
Free Water	scalar	*Visual		**NEG**	NEG	NEG

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	46	**46.7**	46.5	46.9

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color					
Bottom					

GRAPHS

Ferrous Alloys



Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number



ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY
Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : Y2K0000863 **Received** : 02 Oct 2023
Lab Number : 05967012 **Diagnosed** : 03 Oct 2023
Unique Number : 10673563 **Diagnostician** : Wes Davis
Test Package : MOB 2 (Additional Tests: KF)

To discuss this sample report, contact Customer Service at 1-800-237-1369.
** - Denotes test methods that are outside of the ISO 17025 scope of accreditation.*
Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

SNOHOMISH COUNTY
8915 CATHCART WAY
SNOHOMISH, WA
US 98296
Contact: RAY SCHERRER
Raymond.Scherrer@co.snohomish.wa.us
T: (866)292-1303
F: