

OIL ANALYSIS REPORT

WHEY [1815788] SL150AG21GB01

Component

Gearbox

MOBIL SHC CIBUS 220 (--- GAL)

Sample Rating Trend



Recommendation

Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the


Fluid Condition

The condition of the oil is acceptable for the time in service.

		Sep2019 Ma	r2020 Sep2020 Mar2021	Sep2021 Mar2022 Sep2022 Mar20	23 Sep2023	
SAMPLE INFOR	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0848821	WC0775513	WC0721026
Sample Date		Client Info		15 Sep 2023	19 Mar 2023	17 Sep 2022
Machine Age	mths	Client Info		0	0	0
Oil Age	mths	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	<1	<1	1
Chromium	ppm	ASTM D5185m	>15	0	0	0
Nickel	ppm	ASTM D5185m	>15	0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm		>25	0	<1	<1
Lead	ppm	ASTM D5185m	>100	0	0	0
Copper			>200	<1	0	<1
Tin	ppm	ASTM D5185m	>25	0	0	<1
****	ppm		>20			
Vanadium	ppm	ASTM D5185m		<1	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	0
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	0
Manganese	ppm	ASTM D5185m		<1	0	<1
Magnesium	ppm	ASTM D5185m		0	0	0
Calcium	ppm	ASTM D5185m		0	0	0
Phosphorus	ppm	ASTM D5185m		608	746	629
Zinc	ppm	ASTM D5185m		0	2	3
Sulfur	ppm	ASTM D5185m		684	907	708
CONTAMINANTS	6	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	<1	4	<1
Sodium	ppm	ASTM D5185m		0	0	<1
Potassium	ppm	ASTM D5185m	>20	0	0	<1
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	NEG
Free Water	scalar	*Visual	~U.L	NEG	NEG	NEG
			15			
FLUID PROPERT	IIES	method	limit/base	current	history1	history2



OIL ANALYSIS REPORT





GRAPHS Ferrous Alloys Sep17/19 Non-ferrous Metals ppm Viscosity @ 40°C 250 240 235 230 (C) 225 225 220 220 215 210 205 200 195





Certificate L2367

Laboratory Sample No. Lab Number Unique Number : 10673844 Test Package : IND 1

: WC0848821 : 05967293

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : 02 Oct 2023 Received Diagnosed : 03 Oct 2023 Diagnostician : Wes Davis

LEPRINO FOODS-GREELEY

1302 1ST AVE GREELEY, CO US 80631-5909 Contact: ERIC KLINE

EKLINE@LEPRINOFOODS.COM T:

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: (970)347-5190