

OIL ANALYSIS REPORT

Area Ewing Hauling Machine Id PETERBILT 2617

Component Diesel Engine Fluid

GIBRALTAR 15W/40 SUPER S-3 LX (11)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.



Sample Rating Trend





NORMAL

SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0840466		
Sample Date		Client Info		27 Sep 2023		
Machine Age	hrs	Client Info		5561		
Oil Age	hrs	Client Info		450		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Fuel		WC Method	>5	<1.0		
Glycol		WC Method		NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>110	4		
Chromium	ppm	ASTM D5185m	>4	<1		
Nickel	ppm	ASTM D5185m	>2	<1		
Titanium	ppm	ASTM D5185m	_	0		
Silver	ppm	ASTM D5185m	>2	<1		
Aluminum	ppm	ASTM D5185m	>25	3		
Lead	ppm	ASTM D5185m	>45	<1		
Copper	ppm	ASTM D5185m	>85	1		
Tin	ppm	ASTM D5185m	>4	<1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method				history2
ADDITIVES Boron	ppm	method ASTM D5185m	limit/base	current 8	history1	history2
	ppm ppm		limit/base			
Boron		ASTM D5185m	limit/base 66	8		
Boron Barium	ppm	ASTM D5185m ASTM D5185m		8 0		
Boron Barium Molybdenum	ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m		8 0 67		
Boron Barium Molybdenum Manganese	ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66	8 0 67 <1		
Boron Barium Molybdenum Manganese Magnesium	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66 1000	8 0 67 <1 910		
Boron Barium Molybdenum Manganese Magnesium Calcium	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66 1000 1050	8 0 67 <1 910 1343	 	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus	ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66 1000 1050 1150	8 0 67 <1 910 1343 1124		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66 1000 1050 1150	8 0 67 <1 910 1343 1124 1461	 	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 limit/base	8 0 67 <1 910 1343 1124 1461 3775		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 limit/base	8 0 67 <1 910 1343 1124 1461 3775 current		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m method	66 1000 1050 1150 1270 limit/base >30	8 0 67 <1 910 1343 1124 1461 3775 current 3	 history1 	 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m method ASTM D5185m	66 1000 1050 1150 1270 limit/base >30	8 0 67 <1 910 1343 1124 1461 3775 current 3 0	 history1	 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 limit/base >30 >20	8 0 67 <1 910 1343 1124 1461 3775 current 3 0 2	 history1 	 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 limit/base >30 >20 limit/base	8 0 67 <1 910 1343 1124 1461 3775 current 3 0 2 2	 history1 history1	 history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 limit/base >30 >20 limit/base >3	8 0 67 <1 910 1343 1124 1461 3775 current 3 0 2 2 current 0.3	 history1 history1 history1	 history2 history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 1270 imit/base >30 >20 imit/base >3 >20	8 0 67 <1 910 1343 1124 1461 3775 current 3 0 2 current 0.3 7.2	history1 history1	 history2 history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m	66 1000 1050 1150 1270 imit/base >30 imit/base >3 >20 >30 >30 imit/base	8 0 67 <1 910 1343 1124 1461 3775 <u>current</u> 3 0 2 <u>current</u> 0.3 7.2 17.9	 history1 history1	 history2 history2 history2



OIL ANALYSIS REPORT





Certificate L2367