

## **OIL ANALYSIS REPORT**

## OKLAHOMA/102/EG - MOTOR GRADER Machine Id 78.264 [OKLAHOMA^102^EG - MOTOR GRADER] Component

Transmission

### MOBIL MOBILTRANS AST 30 (--- GAL)

#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

Fluid


All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

#### Fluid Condition

The condition of the oil is acceptable for the time in service.





NORMAL


SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0862654		
Sample Date		Client Info		23 Oct 2023		
Machine Age	hrs	Client Info		1916		
Oil Age	hrs	Client Info		1916		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	16		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>50	6		
Lead	ppm	ASTM D5185m	>50	2		
Copper	ppm	ASTM D5185m	>200	26		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m	210	0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES	1-1-	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		2		
Barium	ppm	ASTM D5185m		0		
Molybdenum		ASTM D5185m		۰ <1		
-	ppm	ASTM D5185m		1		
Manganese	ppm	ASTM D5185m		32		
Magnesium	ppm			2899		
Calcium	ppm	ASTM D5185m		1086		
Phosphorus	ppm	ASTM D5185m				
Zinc Sulfur	ppm	ASTM D5185m ASTM D5185m		1273		
	ppm			6505		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	6		
Sodium	ppm	ASTM D5185m		5		
Potassium	ppm	ASTM D5185m	>20	<1		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	57.6	94.7		
				_		

Report Id: SHEWIC [WUSCAR] 05994766 (Generated: 11/01/2023 20:05:46) Rev: 1

Submitted By: KEVIN HOHEISEL



# **OIL ANALYSIS REPORT**



Submitted By: KEVIN HOHEISEL