

## **OIL ANALYSIS REPORT**

Sample Rating Trend



TEST STAND - TRONAIR

Hydraulic System Fluid Skydrol (78 GAL)

#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.


#### Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Particle Filter (Magn: 200 x)



				Nov2023		
SAMPLE INFORM	<b>IATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		PH0001989		
Sample Date		Client Info		02 Nov 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	0		
Chromium	ppm	ASTM D5185m	>20	0		
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>20	0		
Lead	ppm	ASTM D5185m	>20	0		
Copper	ppm	ASTM D5185m	>20	0		
Tin	ppm	ASTM D5185m	>20	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m	110	0		
Phosphorus	ppm	ASTM D5185m	37	26892		
Zinc	ppm	ASTM D5185m		<1		
Sulfur	ppm	ASTM D5185m	220	1818		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<1		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	15		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>10000	369		
Particles >6µm		ASTM D7647	>2500	112		
Particles >14µm		ASTM D7647	>320	14		
Particles >21µm		ASTM D7647	>80	5		
Particles >38µm		ASTM D7647	>20	1		
Particles >71µm		ASTM D7647		0		
Oil Cleanliness		ISO 4406 (c)	>20/18/15	16/14/11		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.04	0.04		



13 Abnorm 12 (3) 11- Base (4) 10

A

Particle Trend

ŝ

12

of particles (1 ml)

jo Ja

2


0k Nov2/23


# **OIL ANALYSIS REPORT**

scalar

\*Visual

NONE





NONE

 Unique Number
 : 10727844
 Diagnostician
 : Doug Bogart

 Certificate L2367
 Test Package
 : PLANT (Additional Tests: KF, PrtFilter)

 To discuss this sample report, contact Customer Service at 1-800-237-1369.
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: JAY GRONBACH - PARMET

T: F:

Contact: JAY GRONBACH

jay.gronbach@parker.com