

OIL ANALYSIS REPORT

Sample Rating Trend







Machine Id G59 Component Transmission (Auto) Fluid TRANSYND 668 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.

Fluid Condition

The condition of the fluid is acceptable for the time in service.


SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0841467		
Sample Date		Client Info		09 Oct 2023		
Machine Age	hrs	Client Info		14469		
Oil Age	hrs	Client Info		614		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>160	46		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m	>5	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>5	0		
Aluminum	ppm	ASTM D5185m	>50	21		
Lead	ppm	ASTM D5185m	>50	3		
Copper	ppm	ASTM D5185m	>225	44		
Tin	ppm	ASTM D5185m	>10	1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		97		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		183		
Phosphorus	ppm	ASTM D5185m		393		
Zinc	ppm	ASTM D5185m		17		
Sulfur	ppm	ASTM D5185m		1664		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	7		
Sodium	ppm	ASTM D5185m		3		
Potassium	ppm	ASTM D5185m	>20	<1		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445		31.6		
3:54:27) Rev: 1	•				n. Service Mana	ager - AVWSEW

Report Id: AVWSEW [WUSCAR] 06000156 (Generated: 11/08/2023 13:54:27) Rev: 1

Contact/Location: Service Manager - AVWSEW



OIL ANALYSIS REPORT



	Color			no image	no image	no image
0ct3/23	Bottom			no image	no image	no image
5	GRAPHS					
	Ferrous Alloys					
	50 45					
	40 - nickel					
	35 -					
	30 - E 25 -					
i	20 -					
	15 -					
	10					
	0		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
	0ct9/23		0ct9/23			
	Non-ferrous Me	tals				
	45 40 copper					
	35					
	30 -					
	25					
	15					
	10					
	5					
	0ct9/23 0	******	0ct9/23			
	Octf		Dctf			
	Viscosity @ 40°	C				
	Abnormal					
	36					
-						
	3 34 - <u>7</u> 3 32 -					
	30		1			
	Abnormal					
	28					
	26		0ct9/23 -			
	õ		00			
Laboratory	: WearCheck USA			3 Apple	Valley Waste -	
Sample No. Lab Number	: WC0841467 : 06000156		: 06 Nov 2023 : 08 Nov 2023		30	09 Salina Road Sewell, NJ
Unique Number	: 10728516		: Sean Felton			US 08080
Certificate L2367 Test Package To discuss this sample report, c	: CONST contact Customer Se	rvice at 1-800-237	-1369.		Contact: Se	ervice Manager
* - Denotes test methods that an Statements of conformity to speci	re outside of the ISC	17025 scope of a	ccreditation.	(JCGM 106·2012	?)	T: F:
				,	/	••

limit/base

Contact/Location: Service Manager - AVWSEW