

OIL ANALYSIS REPORT

TODAYS CAR WASH 2 - HARKER HEIGHTS 2-1-PP

Component

1 Hydraulic Power Pack

AW HYDRAULIC OIL ISO 32 (--- GAL)

Sample Rating Trend



ט	1/-	'n	ш	W	U	J	

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Nov2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0877691		
Sample Date		Client Info		03 Nov 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	6		
Chromium	ppm	ASTM D5185m	>20	0		
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>20	0		
Lead	ppm	ASTM D5185m	>20	<1		
Copper	ppm	ASTM D5185m	>20	0		
Tin	ppm	ASTM D5185m	>20	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	5	0		
Barium	ppm	ASTM D5185m	5	0		
Molybdenum	ppm	ASTM D5185m	5	0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m	25	<1		
Calcium	ppm	ASTM D5185m	200	40		
Phosphorus	ppm	ASTM D5185m	300	327		
Zinc	ppm	ASTM D5185m	370	424		
Sulfur	ppm	ASTM D5185m	2500	857		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<1		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4μm		ASTM D7647	>5000	1962		
Particles >6µm		ASTM D7647	>1300	255		
Particles >14μm		ASTM D7647	>160	11		
Particles >21μm		ASTM D7647	>40	3		
Particles >38µm		ASTM D7647	>10	0		
Particles >71μm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	18/15/11		
FLUID DEGRADA	NOITA	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.57	0.32		



OIL ANALYSIS REPORT







Certificate L2367

Laboratory Sample No. Lab Number

Unique Number Test Package : PLANT

: WC0877691 : 06006287 : 10740049

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received Diagnosed Diagnostician

: 13 Nov 2023

: 14 Nov 2023 : Doug Bogart

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

TODAYS CAR WASH 514 S FT HOOD STREET

KILLEEN, TX US 76549-6289

Contact: HOWARD SCHULTZ howards@todayscarwash.com

T: (248)431-8760

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)