

# **OIL ANALYSIS REPORT**

# TODAYS CAR WASH 7 - ADAMS AVE TEMPLE 7-5-PP

Component

5 Hydraulic Power Pack

AW HYDRAULIC OIL ISO 32 (--- GAL)

# Sample Rating Trend



# Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

All component wear rates are normal.

# Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

# **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


				Nov2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0877682		
Sample Date		Client Info		08 Nov 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	1		
Chromium	ppm	ASTM D5185m	>20	0		
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>20	0		
Lead	ppm	ASTM D5185m	>20	<1		
Copper	ppm	ASTM D5185m	>20	0		
Tin	ppm	ASTM D5185m	>20	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	5	2		
Barium	ppm	ASTM D5185m	5	0		
Molybdenum	ppm	ASTM D5185m	5	<1		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m	25	9		
Calcium	ppm	ASTM D5185m	200	46		
Phosphorus	ppm	ASTM D5185m	300	275		
Zinc	ppm	ASTM D5185m	370	325		
Sulfur	ppm	ASTM D5185m	2500	1124		
CONTAMINANTS	8	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	2		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID CLEANLIN	NESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	311		
Particles >6µm		ASTM D7647	>1300	65		
Particles >14µm		ASTM D7647	>160	8		
Particles >21µm		ASTM D7647	>40	2		
Particles >38µm		ASTM D7647	>10	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	15/13/10		
FLUID DEGRADA	ATION _	method	limit/base	current	history1	history2
Acid Number (AN)	та КОЦ/а	VCTM DOUVE	0.57	0.41		

Acid Number (AN) mg KOH/g ASTM D8045 0.57

0.41



# **OIL ANALYSIS REPORT**





Certificate L2367

Laboratory Sample No. Lab Number Unique Number

Test Package : PLANT

: WC0877682 : 06006296 : 10740058

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 13 Nov 2023 Diagnosed Diagnostician

: 14 Nov 2023 : Doug Bogart

KILLEEN, TX US 76549-6289 Contact: HOWARD SCHULTZ howards@todayscarwash.com T: (248)431-8760

**TODAYS CAR WASH** 

514 S FT HOOD STREET

To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)