

PROBLEM SUMMARY


Area OCEAN VOYAGER Machine Id [OCEAN VOYAGER] OCEAN VOYAGER A1

Port Air Compressor Fluid SYNTHETIC POE 220 (30 LTR)

RECOMMENDATION

Resample at the next service interval to m

COMPONENT CONDITION SUMMARY



	PROBLEMATIC TEST RESULTS									
nonitor.	Sample Status	Sample Status				ATTENTION				
	Visc @ 40°C	cSt	ASTM D445		A 131.1					


Customer Id: VICNEWIN Sample No.: WC0824869 Lab Number: 06006435 Test Package: MAR 2



To manage this report scan the QR code

To discuss the diagnosis or test data: Doug Bogart +1 (800)237-1369 x4016 <u>dougb@wearcheckusa.com</u>

To change component or sample information: Customer Service +1 1-800-237-1369 <u>customerservice@wearcheck.com</u>



There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Area OCEAN VOYAGER Machine Id [OCEAN VOYAGER] OCEAN VOYAGER A1

Port Air Compressor

SYNTHETIC POE 220 (30 LTR)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The oil viscosity is lower than normal. Confirm oil type. The AN level is acceptable for this fluid.





SAMPLE INFORM	/IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0824869		
Sample Date		Client Info		01 Nov 2023		
Machine Age	hrs	Client Info		27252		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ATTENTION		
CONTAMINATION	N	method	limit/base	current	history1	history2
Water		WC Method	>0.6	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>4	0		
Nickel	ppm	ASTM D5185m	>4	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>10	0		
Lead	ppm	ASTM D5185m	>20	0		
Copper	ppm	ASTM D5185m	>40	<1		
Tin	ppm	ASTM D5185m	>5	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		51		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		6		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	3		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.089		



OIL ANALYSIS REPORT

VISUAL





	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
1/23	Appearance	scalar	*Visual	NORML	NORML		
Nov1/23	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.6	NEG		
	Free Water	scalar	*Visual		NEG		
				11 11 /			
	FLUID PROPERT	IES	method	limit/base	e current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		131.1		
	SAMPLE IMAGES	6	method	limit/base	e current	history1	history2
Nov1/23	Color					no image	no image
	Bottom					no image	no image
	Non-ferrous Metals	s		Nov1/23			
	und 4 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			Nov1/23			
c3t 40°C)	Abnormal Abnormal			Acid Number (mg KOH/g)	Acid Numb	er	
	100 100 100 100			Nov1/23	.02 .00 .00 .00 .00 .00 .02 .02 .02 .02		
Laboratory Sample No. Lab Number Unique Number Test Package	: 06006435	01 Madis Received Diagnose Diagnosti	:13 ed::05	ry, NC 275 Nov 2023 Dec 2023 Ig Bogart	13 Am	J	rages - Ocean Bridgeport Driv effersonville, II US 4713 ct: Dietrich Gile

limit/base

current

method

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F:

history2

history1