




PROBLEM SUMMARY

Sample Rating Trend




WEAR



Area
RONALD L SENSENBACH
Machine Id
[RONALD L SENSENBACH] 001 685579-1
Component
Port Main Engine
Fluid
CHEVRON DELO 400 XLE 15W40 (220 GAL)

COMPONENT CONDITION SUMMARY

▲ Non-ferrous Metals



RECOMMENDATION

No corrective action is recommended at this time.
Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS

Sample Status				ABNORMAL	ABNORMAL	ABNORMAL
Copper	ppm	ASTM D5185m	>80	▲ 87	▲ 153	▲ 91

Customer Id: INGPAD
Sample No.: MW0058658
Lab Number: 06006507
Test Package: MAR 2



To manage this report scan the QR code

To discuss the diagnosis or test data:
Don Baldrige +1
don.b505@comcast.net

To change component or sample information:
Customer Service +1 1-800-237-1369
customerservice@wearcheck.com

RECOMMENDED ACTIONS

There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS

27 Oct 2023 Diag: Sean Felton

WEAR



No corrective action is recommended at this time. Oil and filter change at the time of sampling has been noted. Resample at the next service interval to monitor. The copper level is abnormal. In the absence of other significant wear metals, suspect copper due to sources other than wear (i.e. cooling core). All other component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

view report



01 Oct 2023 Diag: Sean Felton

WEAR



No corrective action is recommended at this time. Resample at the next service interval to monitor. The copper level is abnormal. In the absence of other significant wear metals, suspect copper due to sources other than wear (i.e. cooling core). All other component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

view report



01 Sep 2023 Diag: Wes Davis

NORMAL



Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

view report






OIL ANALYSIS REPORT

Sample Rating Trend

WEAR

Area
RONALD L SENSENBACH
 Machine Id
[RONALD L SENSENBACH] 001 685579-1
 Component
Port Main Engine
 Fluid
CHEVRON DELO 400 XLE 15W40 (220 GAL)



DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear

The copper level has decreased, but is still abnormal. All other component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		MW0058658	MW0058656	MW0055719
Sample Date	Client Info		01 Nov 2023	27 Oct 2023	01 Oct 2023
Machine Age	hrs	Client Info	26165	26061	25419
Oil Age	hrs	Client Info	110	1453	812
Oil Changed	Client Info		Not Chngd	Changed	N/A
Sample Status			ABNORMAL	ABNORMAL	ABNORMAL

CONTAMINATION

	method	limit/base	current	history1	history2
Fuel	WC Method	>4.0	<1.0	<1.0	<1.0
Glycol	WC Method		NEG	NEG	NEG

WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m >75	4	8	3
Chromium	ppm	ASTM D5185m >8	0	0	<1
Nickel	ppm	ASTM D5185m >2	0	0	<1
Titanium	ppm	ASTM D5185m >3	0	0	<1
Silver	ppm	ASTM D5185m >2	0	0	0
Aluminum	ppm	ASTM D5185m >15	2	2	3
Lead	ppm	ASTM D5185m >18	1	2	<1
Copper	ppm	ASTM D5185m >80	▲ 87	▲ 153	▲ 91
Tin	ppm	ASTM D5185m >14	0	0	<1
Vanadium	ppm	ASTM D5185m	0	0	0
Cadmium	ppm	ASTM D5185m	0	0	<1

ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	324	312	317
Barium	ppm	ASTM D5185m	0	0	10
Molybdenum	ppm	ASTM D5185m	123	126	128
Manganese	ppm	ASTM D5185m	<1	<1	<1
Magnesium	ppm	ASTM D5185m	682	646	600
Calcium	ppm	ASTM D5185m	1509	1492	1423
Phosphorus	ppm	ASTM D5185m 760	716	663	689
Zinc	ppm	ASTM D5185m 830	877	802	784
Sulfur	ppm	ASTM D5185m 2770	2599	2314	2717

CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m >20	6	7	7
Sodium	ppm	ASTM D5185m >75	1	<1	0
Potassium	ppm	ASTM D5185m >20	1	<1	2

INFRA-RED

	method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	0.1	0.2	0.2
Nitration	Abs/cm	*ASTM D7624 >20	7.3	9.6	8.3
Sulfation	Abs/.1mm	*ASTM D7415 >30	23.8	24.9	23.9


FLUID DEGRADATION

	method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414 >25	18.4	21.2	18.9
Base Number (BN)	mg KOH/g	ASTM D2896 10.7	8.93	7.32	8.15




OIL ANALYSIS REPORT

▲ Non-ferrous Metals



VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG


Base Number




FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	14.9	13.6	13.3

GRAPHS


Ferrous Alloys




Viscosity @ 100°C




▲ Non-ferrous Metals



Viscosity @ 100°C



Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : MW0058658 **Received** : 13 Nov 2023
Lab Number : 06006507 **Diagnosed** : 15 Nov 2023
Unique Number : 10740269 **Diagnostician** : Don Baldrige
Test Package : MAR 2

INGRAM BARGE
 900 S 3RD ST
 PADUCAH, KY
 US 42003
 Contact: MVJPA
 mvjpa@ingrambarge.com
 T:
 F: (615)695-3697

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)