


# **OIL ANALYSIS REPORT**

Sample Rating Trend



**NORMAL** 



# **STARLINE SL-5200-4A 30 (S/N 01102)**

**Hydraulic System** 

**NOT GIVEN (--- GAL)** 

### Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

### **Fluid Condition**


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

			Aug2023	Nov2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PH0002369	PH0002002	
Sample Date		Client Info		14 Nov 2023	28 Aug 2023	
Machine Age	hrs	Client Info		0	0	
Oil Age	hrs	Client Info		0	0	
Oil Changed		Client Info		N/A	N/A	
Sample Status				NORMAL	NORMAL	
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	0	0	

Water		WC Method	>0.05	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	0	0	
Chromium	ppm	ASTM D5185m	>20	0	0	
Nickel	ppm	ASTM D5185m	>20	0	<1	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm	ASTM D5185m	>20	0	0	
Lead	ppm	ASTM D5185m	>20	0	0	
Copper	ppm	ASTM D5185m	>20	0	0	
Tin	ppm	ASTM D5185m	>20	0	0	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2


ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	
Barium	ppm	ASTM D5185m		0	2	
Molybdenum	ppm	ASTM D5185m		0	0	
Manganese	ppm	ASTM D5185m		0	0	
Magnesium	ppm	ASTM D5185m		<1	0	
Calcium	ppm	ASTM D5185m		0	0	
Phosphorus	ppm	ASTM D5185m		388	485	
Zinc	ppm	ASTM D5185m		0	<1	
Sulfur	ppm	ASTM D5185m		97	114	
CONTAMINANTS		method	limit/hase	current	history1	history2

CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	1	2	
Sodium	ppm	ASTM D5185m		0	0	
Potassium	ppm	ASTM D5185m	>20	0	0	
FLUID CLEANLINESS		method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>10000	336	214	
Particles >6µm		ASTM D7647	>2500	92	98	
Particles >14µm		ASTM D7647	>320	11	28	
Particles >21µm		ASTM D7647	>80	3	11	
Particles >38µm		ASTM D7647	>20	0	0	
Particles >71µm		ASTM D7647	>4	0	0	
Oil Cleanliness		ISO 4406 (c)	>20/18/15	16/14/11	15/14/12	
FLUID DEGRADA	NOITA	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.047	0.038	





## **OIL ANALYSIS REPORT**





Certificate L2367

Laboratory Sample No. Lab Number **Unique Number** 

: PH0002369

: 06007958 : 10741720

Recieved

: 14 Nov 2023 Diagnosed

: 20 Nov 2023

Diagnostician : Angela Borella

Test Package : PLANT ( Additional Tests: PrtFilter ) To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

**NORDAM** 6911 WHILPOOL DR TULSA, OK

US 74117 Contact: KURT BODENHAMER

kbodenhamer@nordam.com T: (918)401-5219

F: