


PROBLEM SUMMARY

201903 - GENIE 65` MANLIFT Component

Rear Right Final Drive Fluid

PETRO CANADA TRAXON SYNTHETIC 75W90 (--- GAL)

COMPONENT CONDITION SUMMARY



RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS								
Sample Status				ABNORMAL				
Copper	ppm	ASTM D5185m	>50	<u> </u>				


Customer Id: CONLINNE Sample No.: SBP0004944 Lab Number: 06010413 Test Package: FLEET



To discuss the diagnosis or test data:

Sean Felton +1 919-379-4092 sfelton@wearcheckusa.com

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com



There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Rating Trend

201903 - GENIE 65` MANLIFT

Rear Right Final Drive

PETRO CANADA TRAXON SYNTHETIC 75W90 (--- GAL)

DIAGNOSIS

A Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

📥 Wear

Bearing and/or bushing wear is indicated.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The condition of the oil is acceptable for the time in service.


W90 (GAL)				Nov2023		
SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		SBP0004944		
Sample Date		Client Info		09 Nov 2023		
Machine Age	hrs	Client Info		1343		
Oil Age	hrs	Client Info		1000		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
CONTAMINATION		method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>500	399		
Chromium	ppm	ASTM D5185m	>10	6		
Nickel	ppm	ASTM D5185m	>10	<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	4		
Lead	ppm	ASTM D5185m	>25	2		
Copper	ppm	ASTM D5185m	>50	<u> </u>		
Tin	ppm	ASTM D5185m	>10	8		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	328	6		
Barium	ppm		1	20		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		11		
Magnesium	ppm	ASTM D5185m	1	1		
Calcium	ppm	ASTM D5185m	7	25		
Phosphorus	ppm	ASTM D5185m	, 1145	190		
Zinc	ppm	ASTM D5185m	3	68		
Sulfur		ASTM D5185m	17909	9245		
	ppm					
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	26		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	4		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water	scalar	*Visual		NEG		
:06:32) Rev: 1					Submitted	By: Jack Linha


WEAR



OIL ANALYSIS REPORT

🔺 Non-ferrous Metals





250

160

60

120 င့် 110 မှ

:06010413

FLUID PROPERTIES limit/base history1 history2 method current Visc @ 40°C 138 cSt ASTM D445 99.6 SAMPLE IMAGES limit/base method current history1 history2 Color no image no image no image Bottom no image no image no image GRAPHS Ferrous Alloys 400 350 nicke 300 E 200 150 100 50 n Non-ferrous Metals 140 120 100 Md 80 40 20 0 Viscosity @ 40°C 140 130 र् छ 100 90 Ab 80 70 Vov9/23 : WearCheck USA - 501 Madison Ave., Cary, NC 27513 Constructors Inc. - 603659 : SBP0004944 Received : 16 Nov 2023

: 20 Nov 2023



Diagnostician : Sean Felton Test Package : FLEET Certificate L2367 To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Diagnosed

1815 Y Street Lincoln, NE US 68508 Contact: Jack Linhart jackl@constructorslincoln.com T: (402)434-2157 F:

Laboratory Sample No.

Lab Number

Unique Number : 10749557