OIL ANALYSIS REPORT

Sample Rating Trend



WEAR

Machine Id
1708
Component
Diesel Engine
Fluid
DIESEL ENGINE OIL SAE 15W40 (--- GAL)

DIAGNOSIS

Recommendation
No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear
The copper level is abnormal. In the absence of other significant wear metals, suspect copper due to sources other than wear (i.e. cooling core). All other component wear rates are normal.

Contamination
There is no indication of any contamination in the oil.

Fluid Condition
The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number		Client Info		**WC0855927**	WC0855855	---
Sample Date		Client Info		**25 Oct 2023**	27 Sep 2023	---
Machine Age	mls	Client Info		**313964**	0	---
Oil Age	mls	Client Info		**0**	0	---
Oil Changed		Client Info		**N/A**	N/A	---
Sample Status				**ABNORMAL**	ABNORMAL	---

CONTAMINATION		method	limit/base	current	history1	history2
Fuel		WC Method	>5	**<1.0**	<1.0	---
Water		WC Method	>0.2	**NEG**	NEG	---

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	**15**	16	---
Chromium	ppm	ASTM D5185m	>20	**<1**	<1	---
Nickel	ppm	ASTM D5185m	>4	**<1**	0	---
Titanium	ppm	ASTM D5185m		**0**	0	---
Silver	ppm	ASTM D5185m	>3	**<1**	<1	---
Aluminum	ppm	ASTM D5185m	>20	**1**	2	---
Lead	ppm	ASTM D5185m	>40	**0**	0	---
Copper	ppm	ASTM D5185m	>330	▲ **389**	85	---
Tin	ppm	ASTM D5185m	>15	**<1**	0	---
Vanadium	ppm	ASTM D5185m		**0**	0	---
Cadmium	ppm	ASTM D5185m		**0**	0	---

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	250	**6**	33	---
Barium	ppm	ASTM D5185m	10	**0**	4	---
Molybdenum	ppm	ASTM D5185m	100	**58**	45	---
Manganese	ppm	ASTM D5185m		**1**	7	---
Magnesium	ppm	ASTM D5185m	450	**924**	854	---
Calcium	ppm	ASTM D5185m	3000	**1132**	1195	---
Phosphorus	ppm	ASTM D5185m	1150	**1008**	751	---
Zinc	ppm	ASTM D5185m	1350	**1258**	924	---
Sulfur	ppm	ASTM D5185m	4250	**2701**	2379	---

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	**10**	▲ 25	---
Sodium	ppm	ASTM D5185m	>158	**1**	6	---
Potassium	ppm	ASTM D5185m	>20	**0**	2	---
Glycol	%	*ASTM D2982		**NEG**	NEG	---

INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	**0.3**	0.2	---
Nitration	Abs/cm	*ASTM D7624	>20	**8.5**	9.0	---
Sulfation	Abs/.1mm	*ASTM D7415	>30	**20.5**	22.0	---

FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	**18.8**	21.1	---
Base Number (BN)	mg KOH/g	ASTM D2896	8.5	**7.8**	8.6	---

OIL ANALYSIS REPORT

Non-ferrous Metals



Glycol Contamination



Viscosity @ 100°C



Glycol Contamination



VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	**NONE**	NONE	---
Yellow Metal	scalar	*Visual	NONE	**NONE**	NONE	---
Precipitate	scalar	*Visual	NONE	**NONE**	NONE	---
Silt	scalar	*Visual	NONE	**NONE**	NONE	---
Debris	scalar	*Visual	NONE	**NONE**	NONE	---
Sand/Dirt	scalar	*Visual	NONE	**NONE**	NONE	---
Appearance	scalar	*Visual	NORML	**NORML**	NORML	---
Odor	scalar	*Visual	NORML	**NORML**	NORML	---
Emulsified Water	scalar	*Visual	>0.2	**NEG**	NEG	---
Free Water	scalar	*Visual		**NEG**	NEG	---

FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	14.4	**14.0**	13.8	---

GRAPHS

Iron (ppm)



Lead (ppm)



Aluminum (ppm)

Chromium (ppm)

Copper (ppm)



Silicon (ppm)



Viscosity @ 100°C



Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : WC0855927 **Received** : 17 Nov 2023
Lab Number : 06010668 **Diagnosed** : 20 Nov 2023
Unique Number : 10749812 **Diagnostician** : Don Baldridge
Test Package : MOB 1 (Additional Tests: Glycol, TBN)

To discuss this sample report, contact Customer Service at 1-800-237-1369.
** - Denotes test methods that are outside of the ISO 17025 scope of accreditation.*
Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

GO DURHAM - RAPT
1903 FAYETTEVILLE ST
DURHAM, NC
US 27701
Contact: Robert Iosiniecki
Robert.Iosiniecki@ratpdev.com
T:
F: