

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

Machine Id JCB 141 2479743 Component Hydraulic System Fluid NOT GIVEN (60 GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Nov2023		
SAMPLE INFORM	ΛΑΤΙΟΝ	method	limit/base	current	history1	history2
		Client Info		JCB005691		
Sample Number		Client Info		17 Nov 2023		
Sample Date	bro	Client Info		0		
Machine Age Oil Age	hrs hrs	Client Info		0		
Oil Age Oil Changed	1115	Client Info		U N/A		
Sample Status		Cilent Inio		NORMAL		
				-		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	4		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>10	<1		
Lead	ppm	ASTM D5185m	>10	0		
Copper	ppm	ASTM D5185m	>75	3		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	nom	ASTM D5185m		<1		
Barium	ppm	ASTM D5185m		0		
	ppm			-		
Molybdenum	ppm	ASTM D5185m		1		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		217		
Zinc	ppm	ASTM D5185m		258		
Sulfur	ppm	ASTM D5185m		688		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	1		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	2		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	1090		
Particles >6µm		ASTM D7647	>1300	290		
Particles >14µm		ASTM D7647	>160	30		
Particles >21µm		ASTM D7647	>40	8		
Particles >38μm		ASTM D7647	>10	0		
Particles >71μm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	17/15/12		
FLUID DEGRADA	TIO <u>N</u>	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.374		
56·28) Bov: 1	ing K∪⊓/g	70 HVI D0040		0.374 Contact/Location		
hh 28) Rev 1			(contact/Location		

Report Id: BRITAM [WUSCAR] 06010709 (Generated: 11/30/2023 04:56:28) Rev: 1

Contact/Location: MARK HARRISON - BRITAM



2

Ok

54

52

50

().0+ 0+ 46

रेंडे ₄₄

42

40 A 38 Jav17/23

Ahnorm

Viscosity @ 40°C

OIL ANALYSIS REPORT

scalar

scalar

scalar

*Visual

*Visual


*Visual

NONE

NONE

NONE





NONE

NONE

NONE

Certificate L2367

Contact/Location: MARK HARRISON - BRITAM