

PROBLEM SUMMARY


Sample Rating Trend WEAR

JLG 1200 SJP 014-0125 (S/N 0300213740)

Front Right Final Drive

SCHAEFFER SCHAEFFER 293 MOLY 75W90 (--- GAL)

COMPONENT CONDITION SUMMARY



RECOMMENDATION

The oil change at the time of sampling has been noted. No corrective action is recommended at this time. We recommend an early resample to monitor this condition.

PROBLEMATIC TEST RESULTS								
Sample Status				ABNORMAL				
Lead	ppm	ASTM D5185m	>25	A 321				
Copper	ppm	ASTM D5185m	>50	6 3				

Customer Id: AECCHATN Sample No.: WC0868443 Lab Number: 06014658 Test Package: CONST



To manage this report scan the QR code

To discuss the diagnosis or test data: Don Baldridge +1 don.b505@comcast.net

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS							
Action	Status	Date	Done By	Description			
Resample			?	We recommend an early resample to monitor this condition.			

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

SAMPLE INFORMATION

hrs

hrs

Sample Number

Sample Date

Machine Age

Oil Changed

Sample Status

CONTAMINATION

Oil Age

Water

Machine Id JLG 1200 SJP 014-0125 (S/N 0300213740) Component

Front Right Final Drive

SCHAEFFER SCHAEFFER 293 MOLY 75W90 (--- GAL)

DIAGNOSIS

Recommendation

The oil change at the time of sampling has been noted. No corrective action is recommended at this time. We recommend an early resample to monitor this condition.

A Wear

Bearing and/or bushing wear is indicated.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The condition of the oil is acceptable for the time in service.

Samp	le Rating Tre	nd		WEAR
		Nov2023		
method	limit/base	current	history1	history2
Client Info		WC0868443		
Client Info		07 Nov 2023		
Client Info		4775		
Client Info		0		
Client Info		Changed		
		ABNORMAL		
method	limit/base	current	history1	history2
WC Method				

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>500	180		
Chromium	ppm	ASTM D5185m	>10	4		
Nickel	ppm	ASTM D5185m	>10	<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	2		
Lead	ppm	ASTM D5185m	>25	A 321		
Copper	ppm	ASTM D5185m	>50	<u> </u>		
Tin	ppm	ASTM D5185m	>10	3		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		<1		

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		68		
Barium	ppm	ASTM D5185m		1		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		17		
Magnesium	ppm	ASTM D5185m		6		
Calcium	ppm	ASTM D5185m		34		
Phosphorus	ppm	ASTM D5185m		840		
Zinc	ppm	ASTM D5185m		109		
Sulfur	ppm	ASTM D5185m		23123		


CONTAMINA	NTS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	5		
Sodium	ppm	ASTM D5185m		8		
Potassium	ppm	ASTM D5185m	>20	3		


VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water	scalar	*Visual		NEG		


Contact/Location: DANIEL LISELLA - AECCHATN




OIL ANALYSIS REPORT











 Certificate L2367
 Test Package
 : CONST

 To discuss this sample report, contact Customer Service at 1-800-237-1369.
 *

 * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Diagnostician : Don Baldridge

Laboratory

Sample No.

Lab Number

Unique Number : 10753802

US 37415

T:

F:

Contact: DANIEL LISELLA

daniel.lisella@shimmick.com