


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Machine Id **E-10** Component

Wind Turbine Gearbox

ROYAL PURPLE SYNFILM GT 320 (65 GAL

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

-)		No	v2011	Jui2021 Jun20	23	
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		MHI021780	MHI022955	RP091762
Sample Date		Client Info		07 Jun 2023	06 Jul 2021	10 Nov 2011
Machine Age	hrs	Client Info		0	0	59693
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	Not Changd
Sample Status				NORMAL	ABNORMAL	ABNORMAL
WEAR METALS		method	limit/base	current	history1	history2
PQ		ASTM D8184	>200	12	16	29.0
Iron	ppm	ASTM D5185m	>200	6	7	15
Chromium	ppm	ASTM D5185m	>3	<1	0	<1
Nickel	ppm	ASTM D5185m	>3	0	<1	0
Titanium	ppm	ASTM D5185m	>10	<1	0	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>30	2	0	1
Lead	ppm	ASTM D5185m	>15	0	0	<1
Copper	ppm	ASTM D5185m	>75	3	15	5
Tin	ppm	ASTM D5185m	>10	0	0	0
Antimony	ppm	ASTM D5185m	>5		0	0
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	<1	<1
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		6	6	81
Manganese	ppm	ASTM D5185m		0	0	<1
Magnesium	ppm	ASTM D5185m	90	9	0	42
Calcium	ppm	ASTM D5185m		1	0	2
Phosphorus	ppm	ASTM D5185m		<1	32	335
Zinc	ppm	ASTM D5185m		0	0	86
Sulfur	ppm	ASTM D5185m		21043	14767	13395
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>+30	2	2	1
Sodium	ppm	ASTM D5185m		0	0	<1
Potassium	ppm	ASTM D5185m	>20	2	0	0
Water	%	ASTM D6304	>0.1	0.009	0.002	0.004
ppm Water	ppm	ASTM D6304	>1000	92	23.7	40
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		9454	37240	15692
Particles >6µm		ASTM D7647	>5000	948	<u>▲</u> 7581	<u>▲</u> 8548
Particles >14μm		ASTM D7647	>640	20	608	<u>▲</u> 1456
Particles >21µm		ASTM D7647	>160	4	134	△ 491
Particles >38µm		ASTM D7647	>40	0	16	△ 75
Particles >71μm		ASTM D7647		0	0	<u>^</u> 7
Oil Cleanliness		ISO 4406 (c)	>/19/16	20/17/11	<u>22/20/16</u>	<u>^</u> 21/20/18



OIL ANALYSIS REPORT

