

PROBLEM SUMMARY

Sample Rating Trend

WATER




MOTOR HOME TRANS 1


Component

Transmission

MOBIL DELVAC SYN TRANS FLUID 50 (--- GAL)

COMPONENT CONDITION SUMMARY





RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS										
Sample Status				ABNORMAL						
Water	%	ASTM D6304	>0.1	△ 0.123						
ppm Water	ppm	ASTM D6304	>1000	1230						
Visc @ 40°C	cSt	ASTM D445	132	27.5						

Customer Id: RICFIS Sample No.: WC0882505 Lab Number: 06017622 Test Package: FLEET

To manage this report scan the QR code

To discuss the diagnosis or test data: Jonathan Hester +1 919-379-4092 x4092 jhester@wearcheckusa.com

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS


There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

Sample Rating Trend



MOTOR HOME TRANS 1

Component

Transmission

MOBIL DELVAC SYN TRANS FLUID 50 (---

DIAGNOSIS

Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is a light concentration of water present in the fluid.

▲ Fluid Condition


The condition of the fluid is acceptable for the time in service.

GAL)				Nov2023		
SAMPLE INFORMA	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0882505		
Sample Date		Client Info		20 Nov 2023		
	hrs	Client Info		0		
	hrs	Client Info		0		
Oil Changed	1110	Client Info		N/A		
Sample Status		Ollotti IIIIo		ABNORMAL		
WEAR METALS		method	limit/base	current	history1	history2
	nnm	ASTM D5185m	>200			
	ppm			3		
	ppm	ASTM D5185m	>10	<1		
	ppm	ASTM D5185m		<1		
	ppm	ASTM D5185m		<1		
	ppm	ASTM D5185m	F.0	0		
	ppm	ASTM D5185m	>50	<1		
	ppm	ASTM D5185m	>50	8		
	ppm	ASTM D5185m		1		
	ppm	ASTM D5185m	>10	<1		
Vanadium p	ppm	ASTM D5185m		0		
Cadmium p	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron p	ppm	ASTM D5185m		94		
Barium p	ppm	ASTM D5185m		1		
Molybdenum p	ppm	ASTM D5185m		<1		
Manganese p	ppm	ASTM D5185m		<1		
Magnesium բ	ppm	ASTM D5185m		2		
Calcium	ppm	ASTM D5185m		84		
Phosphorus p	ppm	ASTM D5185m		316		
	ppm	ASTM D5185m		164		
	ppm	ASTM D5185m		879		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon r	ppm	ASTM D5185m	>50	3		
	ppm	ASTM D5185m		0		
	ppm	ASTM D5185m	>20	2		
	%	ASTM D6304	>0.1	△ 0.123		
	ppm	ASTM D6304	>1000	<u>▲</u> 1230		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NONE	NONE		
	scalar	*Visual	NORML	NORML		
	scalar	*Visual	NORML	NORML		
	scalar	*Visual	>0.1	0.2%		
			⊅ 0.1			
Free Water	scalar	*Visual		NEG		

Contact/Location: RICK PASETTO - RICFIS



OIL ANALYSIS REPORT





Laboratory Sample No. Lab Number Unique Number : 10756766

: WC0882505 : 06017622

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 24 Nov 2023 Diagnosed

: 29 Nov 2023 Diagnostician : Jonathan Hester

Test Package : FLEET (Additional Tests: KF) To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) **RICK PASETTO** P.O. BOX 145 FISHER, TX

US 78623 Contact: RICK PASETTO rpasetto@yahoo.com

T: (508)930-6705