

Area **RRJ**

Component


PROBLEM SUMMARY

Sample Rating Trend ISO

Drive End Compressor Fluid GARDNER DENVER AEON PD (--- GAL)

B-01-402 Biogas Blower Drive End

COMPONENT CONDITION SUMMARY



RECOMMENDATION

We recommend you service the filters on this component. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS							
Sample Status			ABNORMAL				
Particles >4µm	ASTM D7647	>10000	<u> </u>				
Particles >6µm	ASTM D7647	>2500	🔺 12016				
Particles >14µm	ASTM D7647	>320	<u> </u>				
Oil Cleanliness	ISO 4406 (c)	>20/18/15	A 23/21/16				

Customer Id: GEVDOO Sample No.: WC06027694 Lab Number: 06027694 Test Package: PLANT



To manage this report scan the QR code

To discuss the diagnosis or test data: Jonathan Hester +1 919-379-4092 x4092 jhester@wearcheckusa.com

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED ACTIONS						
Action	Status	Date	Done By	Description		
Change Filter			?	We recommend you service the filters on this component.		

HISTORICAL DIAGNOSIS



OIL ANALYSIS REPORT

RRJ Machine Id B-01-402 Biogas Blower Drive End

Drive End Compressor

Fluid GARDNER DENVER AEON PD (--- GAL)

DIAGNOSIS

A Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is a high amount of particulates present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC06027694		
Sample Date		Client Info		06 Dec 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	5		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	<1		
Lead	ppm	ASTM D5185m		0		
Copper	ppm	ASTM D5185m		4		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES	le le	method	limit/base	current	history	history
			IIIIII/Dase		history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		<1		
Phosphorus	ppm	ASTM D5185m		648		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		546		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	10		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	<1		
Water	%	ASTM D6304	>0.1	NEG		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>10000	^ 76874		
Particles >6µm		ASTM D7647	>2500	<u> </u>		
Particles >14µm		ASTM D7647	>320	425		
Particles >21µm		ASTM D7647	>80	57		
Particles >38µm		ASTM D7647	>20	1		
Particles >71µm		ASTM D7647	>4	0		
Oil Cleanliness		ISO 4406 (c)	>20/18/15	23/21/16		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.82		



Acid Number

1.0

OIL ANALYSIS REPORT

method


limit/base


current


history1

history2

VISUAL







₽0. 20.6 Ê 0.4 Acid 0.0 Viscosity @ 40°C 240 230 <u>ှ</u> 22(5 210 200 190

Report Id: GEVDOO [WUSCAR] 06027694 (Generated: 12/12/2023 12:40:49) Rev: 1

Certificate L2367

Laboratory

Sample No.

Lab Number

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:

F: