




OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



Area
[CONHER]
 Machine Id
PERKINS Pacifico Ind PISA1 Aux2
 Component
Auxiliary Engine
 Fluid
CHEVRON DELO 400 MULTIGRADE 15W40 (20 LTR)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	KL0013445	KL0013385	KL0013305
Sample Date	Client Info	21 Dec 2023	17 Nov 2023	16 Oct 2023
Machine Age	hrs	Client Info	0	0
Oil Age	hrs	Client Info	0	100
Oil Changed	Client Info	N/A	N/A	Not Changd
Sample Status		NORMAL	NORMAL	ATTENTION

CONTAMINATION

method	limit/base	current	history1	history2
Fuel	WC Method >4.0	<1.0	<1.0	<1.0
Water	WC Method >0.1	NEG	NEG	NEG
Glycol	WC Method	NEG	NEG	NEG

WEAR METALS

method	limit/base	current	history1	history2
Iron	ppm ASTM D5185m >100	23	5	7
Chromium	ppm ASTM D5185m >20	<1	0	<1
Nickel	ppm ASTM D5185m >2	0	0	0
Titanium	ppm ASTM D5185m >2	0	0	0
Silver	ppm ASTM D5185m >2	0	0	0
Aluminum	ppm ASTM D5185m >20	2	3	3
Lead	ppm ASTM D5185m >40	3	0	<1
Copper	ppm ASTM D5185m >330	17	7	7
Tin	ppm ASTM D5185m >15	1	<1	<1
Vanadium	ppm ASTM D5185m	0	<1	0
Cadmium	ppm ASTM D5185m	0	0	0

ADDITIVES

method	limit/base	current	history1	history2
Boron	ppm ASTM D5185m 151	220	284	311
Barium	ppm ASTM D5185m 0.4	0	0	0
Molybdenum	ppm ASTM D5185m 250	128	117	122
Manganese	ppm ASTM D5185m	0	0	<1
Magnesium	ppm ASTM D5185m 0	668	644	675
Calcium	ppm ASTM D5185m 2046	1535	1570	1529
Phosphorus	ppm ASTM D5185m 1043	700	734	662
Zinc	ppm ASTM D5185m 943	842	827	927
Sulfur	ppm ASTM D5185m 5012	2308	2400	2470

CONTAMINANTS





method	limit/base	current	history1	history2
Silicon	ppm ASTM D5185m >25	20	6	6
Sodium	ppm ASTM D5185m	1	2	1
Potassium	ppm ASTM D5185m >20	0	0	<1

INFRA-RED

method	limit/base	current	history1	history2
Soot %	% *ASTM D7844	2.4	0.2	0.1
Nitration	Abs/cm *ASTM D7624 >20	10.4	6.7	6.6
Sulfation	Abs/.1mm *ASTM D7415 >30	28.6	23.1	22.9



OIL ANALYSIS REPORT








FLUID CLEANLINESS	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647		4663	1905	10266
Particles >6µm	ASTM D7647	>5000	2431	1038	▲ 5592
Particles >14µm	ASTM D7647	>640	414	177	▲ 952
Particles >21µm	ASTM D7647	>160	139	59	▲ 321
Particles >38µm	ASTM D7647	>40	22	9	▲ 49
Particles >71µm	ASTM D7647	>10	2	1	5
Oil Cleanliness	ISO 4406 (c)	>19/16	18/16	17/15	▲ 20/17

FLUID DEGRADATION	method	limit/base	current	history1	history2	
Oxidation	Abs./1mm	*ASTM D7414	>25	19.9	16.7	16.7
Base Number (BN)	mg KOH/g	ASTM D2896	12.5	7.29	10.13	10.21

VISUAL	method	limit/base	current	history1	history2	
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 100°C	cSt	ASTM D445	14.4	14.3	13.4	13.3

GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : KL0013445 **Received** : 09 Jan 2024
Lab Number : 06055996 **Diagnosed** : 11 Jan 2024
Unique Number : 10821945 **Diagnostician** : Don Baldrige
Test Package : MOB 2 (Additional Tests: PrtCount)

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

CONOR
 JUAREZ 348
 HERMOSILLO,
 MX 83140

Contact: EDUARDO GARCIA
egarcia.comsa@gmail.com

T: (526)622-1581 x:81

F: x: