

OIL ANALYSIS REPORT

NORMAL

Machine Id

KENWORTH T-880 5690 (S/N 1XKZ0P3X1RJ361012)

Component

Diesel Engine

SHELL ROTELLA T 15W40 (--- GAL)

DIAGNOSIS

Recommendation

Oil and filter change at the time of sampling has been noted. No corrective action is recommended at this time. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

Elevated aluminum (Al) and/or lead (Pb) and potassium (K) levels in your metals analysis are likely a result of solder flux release into the lubricant and is common on new equipment/components. No other contaminants were detected in the oil.

Fluid Condition

The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

Samp	le Rating Trend		
	Jan202	4	
method			history1

SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0850987		
Sample Date		Client Info		09 Jan 2024		
Machine Age	mls	Client Info		23763		
Oil Age	mls	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATION	١	method	limit/base	current	history1	history2
Fuel		WC Method	>5	<1.0		
Water		WC Method	>0.2	NEG		
Glycol		WC Method		NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	59		
Chromium	ppm	ASTM D5185m	>20	2		
Nickel	ppm	ASTM D5185m	>4	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>3	0		
Aluminum	ppm	ASTM D5185m	>20	45		
Lead	ppm	ASTM D5185m	>40	0		
Copper	ppm	ASTM D5185m	>330	16		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
ADDITIVES Boron	ppm	method ASTM D5185m	limit/base	current 23	history1	history2
	ppm ppm				,	,
Boron		ASTM D5185m	316	23		
Boron Barium	ppm	ASTM D5185m ASTM D5185m	316 0.0	23 0		
Boron Barium Molybdenum	ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0	23 0 17		
Boron Barium Molybdenum Manganese	ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2	23 0 17 2		
Boron Barium Molybdenum Manganese Magnesium	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2	23 0 17 2 852		
Boron Barium Molybdenum Manganese Magnesium Calcium	ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2 24 2292	23 0 17 2 852 1386		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus	ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2 24 2292 1064	23 0 17 2 852 1386 815		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2 24 2292 1064 1160	23 0 17 2 852 1386 815 970		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996	23 0 17 2 852 1386 815 970 3027		
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium	ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996	23 0 17 2 852 1386 815 970 3027 current	 history1	 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS	ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996	23 0 17 2 852 1386 815 970 3027 current	 history1	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium	ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996 limit/base	23 0 17 2 852 1386 815 970 3027 current 12 4	history1	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium	ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996 limit/base >25	23 0 17 2 852 1386 815 970 3027 current 12 4 131	history1	history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED	ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996 limit/base >25	23 0 17 2 852 1386 815 970 3027 current 12 4 131	history1 history1	
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot %	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m method *ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996 limit/base >25 >20 limit/base	23 0 17 2 852 1386 815 970 3027 current 12 4 131 current 0.3	history1 history1	history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m method *ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m ASTM D5185m	316 0.0 1.2 24 2292 1064 1160 4996 limit/base >25 >20	23 0 17 2 852 1386 815 970 3027 current 12 4 131 current 0.3 11.1	history1 history1	history2 history2
Boron Barium Molybdenum Manganese Magnesium Calcium Phosphorus Zinc Sulfur CONTAMINANTS Silicon Sodium Potassium INFRA-RED Soot % Nitration Sulfation	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	ASTM D5185m Method *ASTM D5185m ASTM D7844 *ASTM D7624 *ASTM D7415	316 0.0 1.2 24 2292 1064 1160 4996 limit/base >25 >20 limit/base >3 >20 >30	23 0 17 2 852 1386 815 970 3027 current 12 4 131 current 0.3 11.1 24.9	history1 history1	history2 history2



OIL ANALYSIS REPORT







Certificate L2367

Laboratory Sample No. Lab Number **Unique Number**

: 06060014 : 10831396

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : WC0850987 Recieved : 12 Jan 2024 Diagnosed : 16 Jan 2024

Diagnostician : Don Baldridge Test Package : MOB 1 (Additional Tests: TBN)

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. **JOHNSON BREEDERS** 3425 HWY 117N

ROSE HILL, NC US 28458 Contact: GREG JONES

gregory.jones@houseofraeford.com

T: (910)289-6884

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: