

# **OIL ANALYSIS REPORT**

Sample Rating Trend

NORMAL

# 132202 - SAKAI PNEUMATIC ROLLER

Component

**Hydraulic System** 

**MOBIL MOBILFLUID 424 (--- GAL)** 

### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.


## **Fluid Condition**

Confirm oil type. The condition of the oil is acceptable for the time in service.

				Jan 2024		
SAMPLE INFORM	/ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		SBP0005745		
Sample Date		Client Info		11 Jan 2024		
Machine Age	hrs	Client Info		1851		
Oil Age	hrs	Client Info		0		
Oil Changed	0	Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATIO	V	method	limit/base	current	history1	history2
Water		WC Method		NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	13		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel			>10	0		
Titanium	ppm	ASTM D5185m	>10	0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm		. 10	_		
Lead	ppm	ASTM D5185m ASTM D5185m	>10	<1 7		
	ppm	ASTM D5185m				
Copper	ppm		>75	49		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		7		
Phosphorus	ppm	ASTM D5185m		153		
Zinc	ppm	ASTM D5185m		175		
Sulfur	ppm	ASTM D5185m		775		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	0		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		




# **OIL ANALYSIS REPORT**




FLUID PROPERTIES		method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	55	45.3		
SAMPLE IMAG	ES	method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image

## **GRAPHS**



# Non-ferrous Metals



	VISCOSILY	w	40	_
<sup>12</sup> T	Abnormal			
0				





Certificate L2367

Report Id: CONLINNE [WUSCAR] 06062275 (Generated: 01/19/2024 17:22:41) Rev: 1

Laboratory Sample No. Lab Number Unique Number : 10833657 Test Package : FLEET

: SBP0005745 : 06062275

To discuss this sample report, contact Customer Service at 1-800-237-1369.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Recieved Diagnosed

: 16 Jan 2024 : 18 Jan 2024 Diagnostician : Don Baldridge Constructors Inc. - 603659 1815 Y Street Lincoln, NE

US 68508

Contact: Loren Michael LorenM@constructorslincoln.com

T: (402)434-2157

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Submitted By: Loren Michael