



# OIL ANALYSIS REPORT

Sample Rating Trend

ISO



Area  
**[WC0676738/160215]**  
 Machine Id  
**LOT B84742021 (S/N PAOOIL)**  
 Component  
**Circulating System**  
 Fluid  
**ROYCO 602 (--- QTS)**



## DIAGNOSIS

### Recommendation

No corrective action is recommended at this time. The filter service at the time of sampling has been noted. Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

There is a high amount of particulates present in the oil.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

method	limit/base	current	history1	history2
Sample Number	Client Info	<b>WC0676738</b>	---	---
Sample Date	Client Info	<b>11 Jan 2024</b>	---	---
Machine Age	days	Client Info	<b>1002</b>	---
Oil Age	days	Client Info	<b>0</b>	---
Oil Changed	Client Info	<b>Filtered</b>	---	---
Sample Status		<b>ABNORMAL</b>	---	---

## WEAR METALS

method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	<b>3</b>	---
Chromium	ppm	ASTM D5185m	<b>0</b>	---
Nickel	ppm	ASTM D5185m	<b>0</b>	---
Titanium	ppm	ASTM D5185m	<b>0</b>	---
Silver	ppm	ASTM D5185m	<b>0</b>	---
Aluminum	ppm	ASTM D5185m	<b>0</b>	---
Lead	ppm	ASTM D5185m	<b>0</b>	---
Copper	ppm	ASTM D5185m	<b>0</b>	---
Tin	ppm	ASTM D5185m	<b>0</b>	---
Vanadium	ppm	ASTM D5185m	<b>0</b>	---
Cadmium	ppm	ASTM D5185m	<b>0</b>	---

## ADDITIVES

method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	<b>3</b>	---
Barium	ppm	ASTM D5185m	<b>0</b>	---
Molybdenum	ppm	ASTM D5185m	<b>0</b>	---
Manganese	ppm	ASTM D5185m	<b>0</b>	---
Magnesium	ppm	ASTM D5185m	<b>&lt;1</b>	---
Calcium	ppm	ASTM D5185m	<b>2</b>	---
Phosphorus	ppm	ASTM D5185m	<b>5</b>	---
Zinc	ppm	ASTM D5185m	<b>0</b>	---
Sulfur	ppm	ASTM D5185m	<b>86</b>	---

## CONTAMINANTS

method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	<b>6</b>	---
Sodium	ppm	ASTM D5185m	<b>3</b>	---
Potassium	ppm	ASTM D5185m	<b>&gt;20</b>	---
Water	%	ASTM D6304	<b>NEG</b>	---

## FLUID CLEANLINESS





method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>5000	<b>▲ 66675</b>	---
Particles >6µm	ASTM D7647	>1300	<b>▲ 23141</b>	---
Particles >14µm	ASTM D7647	>160	<b>▲ 4220</b>	---
Particles >21µm	ASTM D7647	>40	<b>▲ 1055</b>	---
Particles >38µm	ASTM D7647	>10	<b>▲ 47</b>	---
Particles >71µm	ASTM D7647	>3	<b>0</b>	---
Oil Cleanliness	ISO 4406 (c)	>19/17/14	<b>▲ 23/22/19</b>	---

## FLUID DEGRADATION

method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.01	<b>0.05</b>



# OIL ANALYSIS REPORT








VISUAL	method	limit/base	current	history1	history2	
White Metal	scalar	*Visual	NONE	NONE	---	---
Yellow Metal	scalar	*Visual	NONE	NONE	---	---
Precipitate	scalar	*Visual	NONE	NONE	---	---
Silt	scalar	*Visual	NONE	NONE	---	---
Debris	scalar	*Visual	NONE	LIGHT	---	---
Sand/Dirt	scalar	*Visual	NONE	NONE	---	---
Appearance	scalar	*Visual	NORML	NORML	---	---
Odor	scalar	*Visual	NORML	NORML	---	---
Emulsified Water	scalar	*Visual	NEG	---	---	
Free Water	scalar	*Visual	NEG	---	---	

FLUID PROPERTIES	method	limit/base	current	history1	history2	
Visc @ 40°C	cSt	ASTM D445	5.19	5.25	---	---

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------

Color		no image	no image
Bottom		no image	no image

## GRAPHS



**Laboratory** : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
**Sample No.** : WC0676738 **Received** : 17 Jan 2024  
**Lab Number** : 06063245 **Diagnosed** : 06 Feb 2024  
**Unique Number** : 10834627 **Diagnostician** : Doug Bogart  
**Test Package** : PLANT

**BRAZONICS, INC / COLLINS AEROSPACE**  
 94 TIDE MILL ROAD  
 HAMPTON, NH  
 US 03842  
 Contact: LISA COLLINS  
 LISA.COLLINS@collins.com  
 T:  
 F:

Certificate L2367  
 To discuss this sample report, contact Customer Service at 1-800-237-1369.  
 \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.  
 Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)