

## **OIL ANALYSIS REPORT**

Sample Rating Trend







HITACHI 1233

#### Front Axle Fluid {not provided} (--- GAL)

#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.


### Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFORM		method	limit/base	current	history1	history2
Sample Number		Client Info		WC06077256		
Sample Date		Client Info		29 Jan 2024		
Machine Age	hrs	Client Info				
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
· ·		and the set	Paral II.		In the term of	la la tana 0
CONTAMINATION	1	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG		
WEAR METALS		method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>500	29		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	2		
_ead	ppm	ASTM D5185m	>25	1		
Copper	ppm	ASTM D5185m	>50	<1		
Γin	ppm	ASTM D5185m	>10	0		
/anadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		<1		
Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		13		
Calcium	ppm	ASTM D5185m		3492		
Phosphorus	ppm	ASTM D5185m		1505		
Zinc	ppm	ASTM D5185m		1364		
Sulfur	ppm	ASTM D5185m		14112		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	11		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	2		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		



# **OIL ANALYSIS REPORT**



С	FLUID PROPER	TIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		147		
	SAMPLE IMAGE	S	method	limit/base	current	history1	history2
62	Color				no image	no image	no image
Jan29,24	Bottom				no image	no image	no image
	GRAPHS			L			
щ	Ferrous Alloys			Jan 29/24			
1	Viscosity @ 40°C			Jan29/24			
	120						
Sample No. Lab Number Unique Number	e outside of the ISO	Recieve Diagnos Diagnos vice at 1-6 17025 sci	ed : 01 F sed : 03 F stician : Don 800-237-1369. ope of accredi	eb 2024 eb 2024 Baldridge tation.	m	Contact: M stevens@contra T:	PO BOX 12010 ALBANY, NY US 12212 IIKE STEVENS

Contact/Location: MIKE STEVENS - CONALBNY