


Area
SMART OIL
Machine Id
HERTZ VD004242 - F&B COSMETICS
Component
Compressor
Fluid
SMARTOIL 6000 (--- GAL)



DIAGNOSIS

Recommendation
Resample at the next service interval to monitor.

Wear
All component wear rates are normal.

Contamination
There is no indication of any contamination in the oil.

Fluid Condition
The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORMATION method limit/base current history1 history2

Sample Number	Client Info		UHK0000063	UHK05885686	UCH05522347
Sample Date	Client Info		22 Nov 2023	03 May 2023	14 Mar 2022
Machine Age	hrs	Client Info	1747	259	259
Oil Age	hrs	Client Info	1747	259	259
Oil Changed		Client Info	Changed	Not Changd	N/A
Sample Status			NORMAL	NORMAL	ATTENTION

CONTAMINATION method limit/base current history1 history2

Water	WC Method	>0.1	NEG	NEG	NEG
-------	-----------	------	------------	-----	-----

WEAR METALS method limit/base current history1 history2

Iron	ppm	ASTM D5185m	>50	<1	3	17
Chromium	ppm	ASTM D5185m	>10	0	2	0
Nickel	ppm	ASTM D5185m		5	6	6
Titanium	ppm	ASTM D5185m		0	2	0
Silver	ppm	ASTM D5185m		0	1	0
Aluminum	ppm	ASTM D5185m	>25	1	4	<1
Lead	ppm	ASTM D5185m	>25	0	5	0
Copper	ppm	ASTM D5185m	>50	2	4	3
Tin	ppm	ASTM D5185m	>15	0	4	2
Antimony	ppm	ASTM D5185m		---	---	---
Vanadium	ppm	ASTM D5185m		0	1	0
Cadmium	ppm	ASTM D5185m		0	2	0

ADDITIVES method limit/base current history1 history2

Boron	ppm	ASTM D5185m		0	0	0
Barium	ppm	ASTM D5185m		0	8	0
Molybdenum	ppm	ASTM D5185m		0	2	0
Manganese	ppm	ASTM D5185m		0	3	<1
Magnesium	ppm	ASTM D5185m		6	14	12
Calcium	ppm	ASTM D5185m	20	<1	3	3
Phosphorus	ppm	ASTM D5185m		0	40	62
Zinc	ppm	ASTM D5185m		31	36	49
Sulfur	ppm	ASTM D5185m		82	150	198


CONTAMINANTS method limit/base current history1 history2

Silicon	ppm	ASTM D5185m	>25	8	17	▲ 28
Sodium	ppm	ASTM D5185m		0	3	0
Potassium	ppm	ASTM D5185m	>20	1	7	<1

FLUID DEGRADATION method limit/base current history1 history2

Acid Number (AN)	mg KOH/g	ASTM D8045		0.256	0.08	0.07
------------------	----------	------------	--	--------------	------	------


OIL ANALYSIS REPORT





VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	LIGHT
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG

FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	46	44.6	43.8

SAMPLE IMAGES	method	limit/base	current	history1	history2
---------------	--------	------------	---------	----------	----------



GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : UHK0000063
Lab Number : 06097151
Unique Number : 10890004
Test Package : IND 2

Received : 22 Feb 2024
Tested : 23 Feb 2024
Diagnosed : 24 Feb 2024 - Don Baldrige

ATLANTA AIR COMPRESSOR - HERTZ
 123 MERCHANTS PARK DR
 HOSCHTON, GA
 US 30548
 Contact: Service Manager

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T:
F: