

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL


Area

[W27136-01]


Machine Id

JOHN DEERE 470G 1FF470GXPHF235115

Component

Diesel Exhaust Fluid (DEF)

Fluid

{not provided} (--- GAL)

DIAGNOSIS
Recommendation

Fluid meets ISO 22241-2 requirements and is suitable for use.

Contamination

Appearance is acceptable. There is no indication of any contamination in the diesel exhaust fluid (def).



Fluid Condition

Urea content is normal.


SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			JR0194939	---	---
Sample Date	Client Info			20 Feb 2024	---	---
Machine Age	hrs	Client Info		7742	---	---
Oil Age	hrs	Client Info		0	---	---
Oil Changed	Client Info			Not Changed	---	---
Sample Status				NORMAL	---	---

CONTAMINANTS		method	limit/base	current	history1	history2
Hydrocarbon	scalar	*In-House		NONE	---	---


FLUID PROPERTIES		method	limit/base	current	history1	history2
Urea Content	%	ISO 22241	<31.8	32.5	---	---
Density @ 20°C	g/cm3	ISO 22241	>1.0930	1.0881	---	---
Refracting Index		ISO 22241	<1.3814	1.3824	---	---
Appearance	scalar	*Visual		Clear & Bright	---	---

SAMPLE IMAGES		method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image

OIL ANALYSIS REPORT



GRAPHS



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513
Sample No. : JR0194939 **Received** : 26 Feb 2024
Lab Number : **06100607** **Tested** : 29 Feb 2024
Unique Number : 10898837 **Diagnosed** : 29 Feb 2024 - Doug Bogart
Test Package : DEF 1 (Additional Tests: PQ)

JRE - STEPHENSON
 245 YARDMASTER COURT
 STEPHENSON, VA
 US 22656-1761

Contact: BRANDON BROWN
 BRANDON.BROWN@JAMESRIVEREQUIPMENT.COM

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: (540)869-0549
 F: (540)869-0549