

## **OIL ANALYSIS REPORT**

# Sample Rating Trend **WATER**

# $\stackrel{\text{Machine Id}}{\text{NOT GIVEN TO}}\text{CO0002084 (S/N NO INFO ON SIF/BOTTLE)}$

Component

Compressor

{not provided} (--- GAL)

#### Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

All component wear rates are normal.

#### Contamination

There is a moderate amount of silt (particulates < 14 microns in size) present in the oil. There is a light concentration of water present in the oil.

#### **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Feb2024		
SAMPLE INFORI	MATION	method	limit/base	current	histo	ory1 history2
Sample Number		Client Info		TO60002084		
Sample Date		Client Info		25 Feb 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed	1113	Client Info		N/A		
Sample Status		Olletti titio		ATTENTION		
			1: 1: //	-		
WEAR METALS		method	limit/base		histo	ory1 history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	2		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	0		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	histo	ory1 history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		8		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		<1		
Phosphorus	ppm	ASTM D5185m		57		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		110		
CONTAMINANTS	3	method	limit/base	current	histo	ory1 history2
Silicon	ppm	ASTM D5185m	>25	0		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	1		
Water	%	ASTM D6304		<u> </u>		
ppm Water	ppm	ASTM D6304	>1000	<u>▲</u> 3750		
FLUID CLEANLIN	NESS _	method	limit/base	current	histo	ory1 history2
Particles >4µm		ASTM D7647	>10000	6098		
Particles >6µm		ASTM D7647	>1300	1937		
Particles >14µm		ASTM D7647	>320	107		
Particles >21µm		ASTM D7647		18		
Particles >38µm		ASTM D7647	>20	0		
Particles >71µm		ASTM D7647		0		
Oil Cleanliness		ISO 4406 (c)	>20/17/15	20/18/14		
FLUID DEGRADA	ATION -					
		method	limit/base		histo	
Acid Number (AN)	mg KOH/g	ASTM D8045		0.32		



### **OIL ANALYSIS REPORT**

