

## **OIL ANALYSIS REPORT**

Area CMSI-B [H-R0035] CHICAGO PNEUMATIC API179799 - STORM COPPER Component

Component Compressor

#### DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

#### Wear


All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

## Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend




NORMAL

SAMPLE INFORM	<b>IATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06141441		
Sample Date		Client Info		22 Mar 2024		
Machine Age	hrs	Client Info		9234		
Oil Age	hrs	Client Info		9234		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	0		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		6		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		0		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	1		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.37		



# **OIL ANALYSIS REPORT**



	VISUAL		method	limit/base	current	history1	history2	
	White Metal	scalar	*Visual	NONE	NONE			
	Yellow Metal	scalar	*Visual	NONE	NONE			
	Precipitate	scalar	*Visual	NONE	NONE			
	Silt	scalar	*Visual	NONE	LIGHT			
1	Debris	scalar	*Visual	NONE	NONE			
	Sand/Dirt	scalar	*Visual	NONE	NONE			
Mar2./24	Appearance	scalar	*Visual	NORML	NORML			
Ma	Odor	scalar	*Visual	NORML	NORML			
	Emulsified Water	scalar	*Visual	>0.1	NEG			
1	Free Water	scalar	*Visual		NEG			
	FLUID PROPERT	IES	method	limit/base	current	history1	history2	
	Visc @ 40°C	cSt	ASTM D445		47.5			
	SAMPLE IMAGES	5	method	limit/base	current	history1	history2	
Mar22/24 +	Color					no image	no image	
	Bottom				-	no image	no image	
	Non-ferrous Metals	S		Mai22/24				
	Viscosity @ 40°C			04.0 0 000 400 000 400 000 0	Acid Numbe	r		
Laboratory Sample No.	* WearCheck USA - 50* : UCH06141441	1 Madisc Rece		Mar22/24	Mar22/24		HARD & SONS	
Lab Number Unique Number Unique Number Test Package discuss this sample report, Denotes test methods that	: 06141414 : 10966222 : IND 2 contact Customer Servi are outside of the ISO 12	Tested: 09 Apr 2024Diagnosed: 10 Apr 2024 - Angela Borella				NASHVILLE, TI US 3720 Contact: STEVE SANDER Steve.sanders@jbouchard.cor T		

Report Id: UCJOHNAS [WUSCAR] 06141414 (Generated: 04/10/2024 17:07:09) Rev: 1

Contact/Location: STEVE SANDERS - UCJOHNAS