


OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



RING CONTAINER EXTRUDER G

Hydraulic System

{not provided} (--- GAL)

DIAGNOSIS

Recommendation

Little or no information is provided as to the component and lubricant being tested. Recommendations are therefore generic in nature and may not apply to the current application. Please forward information as to equipment type, reservoir capacity, lubricant type and any pertinent information to allow for a more accurate assessment. Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample. Please specify the brand, type, and viscosity of the oil on your next sample.

Wear

All component wear rates are normal.

Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0892746	WC0891198	WC0843805
Sample Date		Client Info		02 Apr 2024	25 Jan 2024	18 Oct 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		Not Changd	Not Changd	Not Changd
Sample Status				NORMAL	NORMAL	NORMAL
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	2	2	2
Chromium	ppm	ASTM D5185m	>20	0	0	0
Nickel	ppm	ASTM D5185m	>20	0	0	0
Titanium	ppm	ASTM D5185m		0	<1	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>20	<1	0	<1
Lead	ppm	ASTM D5185m	>20	0	0	0
Copper	ppm	ASTM D5185m	>20	11	11	8
Tin	ppm	ASTM D5185m	>20	<1	0	<1
Vanadium	ppm	ASTM D5185m		<1	0	0
Cadmium	ppm	ASTM D5185m		0	0	<1
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	0
Barium	ppm	ASTM D5185m		2	0	2
Molybdenum	ppm	ASTM D5185m		130	129	129
Manganese	ppm	ASTM D5185m		<1	0	0
Magnesium	ppm	ASTM D5185m		0	0	<1
Calcium	ppm	ASTM D5185m		53	39	47
Phosphorus	ppm	ASTM D5185m		449	426	411
Zinc	ppm	ASTM D5185m		421	382	429
Sulfur	ppm	ASTM D5185m		1991	1541	1576
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	2	1	2
Sodium	ppm	ASTM D5185m		0	0	0
Potassium	ppm	ASTM D5185m	>20	0	0	1
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	817	1570	1123
Particles >6µm		ASTM D7647	>1300	176	165	140
Particles >14µm		ASTM D7647	>160	17	16	16
Particles >21µm		ASTM D7647		5	6	5
Particles >38µm		ASTM D7647	>10	0	0	1
Particles >71µm		ASTM D7647		0	0	0
Oil Cleanliness		ISO 4406 (c)	>19/17/14	17/15/11	18/15/11	17/14/11
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
PLOID BEGINADA	A IOIV	method	mmubase	carrent	— HISTOTY I	- HISTOTYZ


0.40




OIL ANALYSIS REPORT









VISUAL		method				history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.05	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG


FLUID PROPE	NIIEO	method		HISTORY	HISTORYZ
Visc @ 40°C	cSt	ASTM D445	43.6	43.2	43.6

SAMPLE IMAGES	method		history2

Color











Certificate 12367

Report Id: MOTYOR [WUSCAR] 06142998 (Generated: 04/10/2024 10:32:36) Rev: 1

Laboratory Sample No. Lab Number : 06142998

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : WC0892746

Unique Number : 10967806

Received : 09 Apr 2024 **Tested**

: 10 Apr 2024

Diagnosed : 10 Apr 2024 - Wes Davis

Contact: Bill Trimmer btrimmer@motortechnologyinc.com

Test Package : IND 2 To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

T: (717)266-4045

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

MOTOR TECHNOLOGY INC

515 WILLOW SPRINGS LN

YORK, PA

US 17406