


## **OIL ANALYSIS REPORT**

Sample Rating Trend



NORMAL



040824S-15 Component Fluid Fluid

{not provided} (--- QTS)

## DIAGNOSIS

Machine Id

## Recommendation

This is a baseline read-out on the submitted sample.

| SAMPLE INFORM    | MATION   | method      | limit/base | current     | history1 | history2 |  |
|------------------|--|-------------|------------|-------------|----------|----------|--|
| Sample Number    |  | Client Info |            | WC06147891  |          |          |  |
| Sample Date      |  | Client Info |            | 08 Apr 2024 |          |          |  |
| Machine Age      | hrs  | Client Info |            | 0           |          |          |  |
| Oil Age          | hrs  | Client Info |            | 0           |          |          |  |
| Oil Changed      |  | Client Info |            | N/A         |          |          |  |
| Sample Status    |  |             |            | NORMAL      |          |          |  |
| CONTAMINATION    | ٧  | method      | limit/base | current     | history1 | history2 |  |
| Water            |  | WC Method   |            | NEG         |          |          |  |
| WEAR METALS      |  | method      | limit/base | current     | history1 | history2 |  |
| Iron             | ppm  | ASTM D5185m |            | 5           |          |          |  |
| Chromium         | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Nickel           | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Titanium         | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Silver           | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Aluminum         | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Lead             | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Copper           | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Tin              | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Vanadium         | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Cadmium          | ppm  | ASTM D5185m |            | 0           |          |          |  |
| ADDITIVES        |  | method      | limit/base | current     | history1 | history2 |  |
| Boron            | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Barium           | ppm  | ASTM D5185m |            | 4           |          |          |  |
| Molybdenum       | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Manganese        | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Magnesium        | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Calcium          | ppm  | ASTM D5185m |            | 16          |          |          |  |
| Phosphorus       | ppm  | ASTM D5185m |            | 1           |          |          |  |
| Zinc             | ppm  | ASTM D5185m |            | 26          |          |          |  |
| Sulfur           | ppm  | ASTM D5185m |            | 30          |          |          |  |
| CONTAMINANTS     |  | method      | limit/base | current     | history1 | history2 |  |
| Silicon          | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Sodium           | ppm  | ASTM D5185m |            | 0           |          |          |  |
| Potassium        | ppm  | ASTM D5185m | >20        | 0           |          |          |  |
| VISUAL           |  | method      | limit/base | current     | history1 | history2 |  |
| White Metal      | scalar   | *Visual     | NONE       | NONE        |          |          |  |
| Yellow Metal     | scalar   | *Visual     | NONE       | NONE        |          |          |  |
| Precipitate      | scalar   | *Visual     | NONE       | NONE        |          |          |  |
| Silt             | scalar   | *Visual     | NONE       | NONE        |          |          |  |
| Debris           | scalar   | *Visual     | NONE       | NONE        |          |          |  |
| Sand/Dirt        | scalar   | *Visual     | NONE       | NONE        |          |          |  |
| Appearance       | scalar   | *Visual     | NORML      | NORML       |          |          |  |
| Odor             | scalar   | *Visual     | NORML      | NORML       |          |          |  |
| Emulsified Water | scalar   | *Visual     |            | NEG         |          |          |  |
| Free Water       | scalar   | *Visual     |            | NEG         |          |          |  |
| I:35:23) Rev: 1  | :35:23) Rev: 1 Contact/Location: BRYAN DOLE - XAEMID |             |            |             |          |          |  |



## **OIL ANALYSIS REPORT**

| SAMPLE IMAGES | method | limit/base | current  | history1 | history2 |
|---------------|--------|------------|----------|----------|----------|
| Color         |        |            | no image | no image | no image |
| Bottom        |        |            | no image | no image | no image |
| GRAPHS        |        |            |          |          |          |



Certificate L2367

Laboratory: WearCheck USA - 501 Madison Ave., Cary, NC 27513 **Sample No.** : WC06147891 Received : 12 Apr 2024

Lab Number : 06147891  $\textbf{Unique Number} \quad : 10977969$ 

Tested : 15 Apr 2024

**Diagnosed** : 16 Apr 2024 - Jonathan Hester

MIDLAND, MI US 48642 Contact: BRYAN DOLE bdole@xaerusfluids.com

**XAERUS FLUIDS** 

2825 SCHUETTE RD

Test Package : TEST ( Additional Tests: ICP ) To discuss this sample report, contact Customer Service at 1-800-237-1369. \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: BRYAN DOLE - XAEMID

Report Id: XAEMID [WUSCAR] 06147891 (Generated: 04/16/2024 14:35:23) Rev: 1

T:

F: