


## **OIL ANALYSIS REPORT**

Sample Rating Trend



NORMAL



040924S-04
Component
Fluid
Fluid
{not provided} (--- GAL)

DIAGNICOIO

Machine Id

## Recommendation

This is a baseline read-out on the submitted sample.

				Apr2U24		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC06147907		
Sample Date		Client Info		09 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATION	V.	method	limit/base	current	history1	history2
Water	<b>\</b>	WC Method	mmbasc	NEG		
WEAR METALS		method	limit/base	current	history1	history2
			IIIIII/Dase		HISTOLAL	HISTOLYZ
Iron	ppm	ASTM D5185m		0		
Chromium	ppm	ASTM D5185m		0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m		0		
Lead	ppm	ASTM D5185m		0		
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m		0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		0		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		0		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		<1		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual		NEG		
Free Water	scalar	*Visual		NEG		
4:35:56) Rev: 1				Contact/Loc	ation: BRYAN [	OOLE - XAEMID



## **OIL ANALYSIS REPORT**

SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image
GRAPHS					



Certificate 12367

Laboratory: WearCheck USA - 501 Madison Ave., Cary, NC 27513 **Sample No.** : WC06147907 Received : 12 Apr 2024 **Lab Number** : 06147907 Tested : 15 Apr 2024

 $\textbf{Unique Number} \quad : 10977985$ **Diagnosed** : 16 Apr 2024 - Jonathan Hester Test Package : TEST ( Additional Tests: ICP )

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: F:

Contact/Location: BRYAN DOLE - XAEMID

Report Id: XAEMID [WUSCAR] 06147907 (Generated: 04/16/2024 14:35:56) Rev: 1

Page 2 of 2

**XAERUS FLUIDS** 

MIDLAND, MI

US 48642

2825 SCHUETTE RD

Contact: BRYAN DOLE

bdole@xaerusfluids.com