




# OIL ANALYSIS REPORT

Sample Rating Trend



ISO



Area  
**[IVY CITY]**  
 Machine Id  
**ALSTOM 3518**  
 Component  
**Hydraulic System**  
 Fluid  
**ESSO UNIVIS N 32 (55 GAL)**

## DIAGNOSIS

### Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination

There is a high amount of particulates present in the oil.

### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

## SAMPLE INFORMATION

	method	limit/base	current	history1	history2
Sample Number	Client Info		<b>WC0798852</b>	WC0673339	WC0592300
Sample Date	Client Info		<b>05 Apr 2024</b>	11 Apr 2023	12 Apr 2022
Machine Age	hrs	Client Info	<b>0</b>	0	0
Oil Age	hrs	Client Info	<b>0</b>	0	0
Oil Changed	Client Info		<b>N/A</b>	N/A	N/A
Sample Status			<b>ABNORMAL</b>	ABNORMAL	ABNORMAL

## CONTAMINATION

	method	limit/base	current	history1	history2
Water	WC Method	>0.1	<b>NEG</b>	NEG	NEG

## WEAR METALS

	method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m >20	<b>0</b>	5	5
Chromium	ppm	ASTM D5185m >10	<b>3</b>	6	7
Nickel	ppm	ASTM D5185m >10	<b>26</b>	41	44
Titanium	ppm	ASTM D5185m	<b>0</b>	0	0
Silver	ppm	ASTM D5185m	<b>0</b>	0	<1
Aluminum	ppm	ASTM D5185m >10	<b>0</b>	<1	0
Lead	ppm	ASTM D5185m >10	<b>10</b>	16	18
Copper	ppm	ASTM D5185m >75	<b>3</b>	10	10
Tin	ppm	ASTM D5185m >10	<b>0</b>	0	<1
Antimony	ppm	ASTM D5185m	<b>---</b>	---	---
Vanadium	ppm	ASTM D5185m	<b>0</b>	0	0
Cadmium	ppm	ASTM D5185m	<b>0</b>	0	0

## ADDITIVES

	method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m .1	<b>0</b>	0	0
Barium	ppm	ASTM D5185m	<b>0</b>	0	0
Molybdenum	ppm	ASTM D5185m .3	<b>0</b>	0	0
Manganese	ppm	ASTM D5185m	<b>0</b>	<1	0
Magnesium	ppm	ASTM D5185m 0	<b>&lt;1</b>	2	2
Calcium	ppm	ASTM D5185m 74	<b>57</b>	63	66
Phosphorus	ppm	ASTM D5185m 266	<b>354</b>	381	380
Zinc	ppm	ASTM D5185m 338	<b>449</b>	476	486
Sulfur	ppm	ASTM D5185m	<b>2923</b>	3308	2879

## CONTAMINANTS

	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m >20	<b>&lt;1</b>	1	1
Sodium	ppm	ASTM D5185m	<b>2</b>	4	3
Potassium	ppm	ASTM D5185m >20	<b>0</b>	0	0


## FLUID CLEANLINESS

	method	limit/base	current	history1	history2
Particles >4µm	ASTM D7647	>10000	<b>▲ 11656</b>	---	▲ 60341
Particles >6µm	ASTM D7647	>1300	<b>▲ 2855</b>	---	▲ 11457
Particles >14µm	ASTM D7647	>160	<b>▲ 190</b>	---	▲ 936
Particles >21µm	ASTM D7647	>40	<b>▲ 44</b>	---	▲ 477
Particles >38µm	ASTM D7647	>10	<b>1</b>	---	▲ 70
Particles >71µm	ASTM D7647	>3	<b>0</b>	---	▲ 3
Oil Cleanliness	ISO 4406 (c)	>20/17/14	<b>▲ 21/19/15</b>	---	▲ 23/21/17




# OIL ANALYSIS REPORT


▲ Particle Trend




▲ Particle Trend



Acid Number



Viscosity @ 40°C



**FLUID DEGRADATION** method limit/base current history1 history2

Acid Number (AN) mg KOH/g ASTM D8045 **0.37** 0.45 0.53


**VISUAL** method limit/base current history1 history2

White Metal	scalar	*Visual	NONE	<b>NONE</b>	NONE	LIGHT
Yellow Metal	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Precipitate	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Silt	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Debris	scalar	*Visual	NONE	<b>NONE</b>	▲ MODER	LIGHT
Sand/Dirt	scalar	*Visual	NONE	<b>NONE</b>	NONE	NONE
Appearance	scalar	*Visual	NORML	<b>NORML</b>	NORML	NORML
Odor	scalar	*Visual	NORML	<b>NORML</b>	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	<b>NEG</b>	NEG	NEG
Free Water	scalar	*Visual		<b>NEG</b>	NEG	NEG

**FLUID PROPERTIES** method limit/base current history1 history2


Visc @ 40°C cSt ASTM D445 32 **29.5** 27.2 26.3

**SAMPLE IMAGES** method limit/base current history1 history2




**GRAPHS**


Ferrous Alloys




Non-ferrous Metals




Viscosity @ 40°C



▲ Particle Count



Acid Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513  
 Sample No. : WC0798852  
 Lab Number : 06148600  
 Unique Number : 10978678  
 Test Package : MOB 2

Received : 15 Apr 2024  
 Tested : 16 Apr 2024  
 Diagnosed : 17 Apr 2024 - Don Baldrige

**AMTRAK**  
 1401 W STREET NE, HIGH SPEED RAIL 2ND FLOOR  
 WASHINGTON, DC  
 US 20018

Contact: MICHAEL PORTER  
 michael.porter@amtrak.com  
 T: (202)870-1399

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: