

# **OIL ANALYSIS REPORT**



Machine Id

# **RAIL IMPACT**

Component Hydraulic System Fluid CITGO AW HYDRAULIC ISO 46 (--- QTS)

### DIAGNOSIS

#### A Recommendation

We recommend you service the filters on this component. Resample at the next service interval to monitor.

## Wear

All component wear rates are normal.

## Contamination

There is a high amount of particulates present in the oil.

#### **Fluid Condition**

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0901007		
Sample Date		Client Info		10 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
CONTAMINATION	J	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG		
WEAR METALS		method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>20	0		
Chromium	ppm	ASTM D5185m	>20	0		
Nickel	ppm	ASTM D5185m	>20	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>20	0		
Lead	ppm	ASTM D5185m	>20	0		
Copper	ppm	ASTM D5185m	>20	6		
Tin	ppm	ASTM D5185m	>20	0		
/anadium	ppm	ASTM D5185m	220	0		
Cadmium	ppm	ASTM D5185m		۰ <1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		14		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Vagnesium	ppm	ASTM D5185m		1		
Calcium	ppm	ASTM D5185m		99		
Phosphorus	ppm	ASTM D5185m		439		
Zinc	ppm	ASTM D5185m		523		
Sulfur	ppm	ASTM D5185m		2279		
	ррш		1	-		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<1		
Sodium	ppm	ASTM D5185m		3		
Potassium	ppm	ASTM D5185m		0		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>320	<u> </u>		
Particles >6µm		ASTM D7647	>160	<u> </u>		
Particles >14µm		ASTM D7647	>20	<mark>/</mark> 53		
Particles >21µm		ASTM D7647	>4	<u> </u>		
Particles >38µm		ASTM D7647	>3	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>15/14/11	<b>A</b> 18/16/13		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.33		
50:32) Rev: 1			С	ontact/Location	: Service Manag	er? - JEMMAI

Contact/Location: Service Manager ? - JEMMAD Page 1 of 2



Ê 2

of particles (

51

0

3 Ê 2

r of particles (1)

0k

0.40

(B/HO)

-B 0.10

0.00

54

52

50 () 48 0+ 46

42

40 Abno 38 Anr10/74

Abnorma


Ba ैंड <sub>44</sub>

nr10/74

Abnormal

Abnorma

# **OIL ANALYSIS REPORT**



\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

J.E. MYLES CO 32399 MILTON AVENUE MADISON HEIGHTS, MI US 48071-1418 Contact: Service Manager

history2

history

history2

no imade

no imade

ISC

:1999 Cle

18 18

14

T:

F:

Contact/Location: Service Manager ? - JEMMAD

214